

1. MATERIALS FOR CHAIN-LINK FENCE (CLF) FABRIC.BASE PLATES. POSTS. RAILS. TIES. BANDS, BARS, RODS AND ANY OTHER FITTINGS, AND HARDWARE SHALL CONFORM TO AASHTO M181 AND SHALL BE COMPOSED OF ONE OF THE FOLLOWING TYPES OF

TYPE IV - POLYVINYL CHLORIDE (PVC) AND OTHER ORGANIC POLYMER-COATED

- 2. ALL WELDING SHALL CONFORM TO AWS D1.1 FOR STEEL AND AWS D1.2 FOR
- 3. IF ALUMINUM CASTINGS ARE USED WITH TYPE I. TYPE II OR TYPE IV FENCE. THEY SHALL BE PVC COATED. COLOR TO MATCH THE REST OF THE FENCE COMPONENTS.
- 4. IF TYPE III FENCE IS USED, PROVIDE 1/8" THICK NEOPRENE PAD BETWEEN BASE
- 6. ANCHOR BOLTS SHALL CONFORM TO ASTM F1554, GRADE 55 AND SHALL BE GALVANIZED. TIGHTENING PROCEDURE SHALL FOLLOW AASHTO STANDARD SPECIFICATIONS FOR STRUCTURAL SUPPORTS FOR HIGHWAY SIGNS, LUMINAIRES
- 7. ANCHOR BOLTS SHALL BE FULLY THREADED AND INSTALLED IN CORED HOLES NO GREATER THAN THE BOLT DIAMETER PLUS '4". EMBEDMENT LDEPTH SHALL BE AS PER MANUFACTURER'S RECOMMENDATION. THE DESIGN OF THE EMBEDMENT DEPTH SHALL BE BASED ON A CONCRETE COMPRESSIVE STRENGTH OF4000 POUNDS PER SQUARE INCH. BOLTS SHALL BE EPOXY GROUTED IN PLACE AS PER MANUFACTURER'S RECOMMENDATIONS. ADHESIVE ANCHOR SYSTEM SHALL BE TESTED IN ACCORDANCE WITH SUBSECTION 908.01.04 OF NJDOT STANDARD
- 8. POST SLEEVES SHALL BE 2 $\frac{1}{2}$ " SQUARE AND 6" LONG. WALL THICKNESS SHALL BE
- 10. POSTS SHALL BE 2" SQ., 1/4" WALL THICKNESS, TO BE SET PLUMB
- 11. SHIM MATERIAL SHALL BE USED WHERE NECESSARY FOR POST ALIGNMENT.
- 12. ALL HORIZONTAL RAILS (TOP, BOTTOM, AND BRACE) SHALL BE 1 1/2" SQ., 1/8" WALL
- 14. BRACE RAILS SHALL BE INSTALLED AT END UNITS WHERE CLF FABRIC IS TENSIONED.
- GALVANIZED SPRING IN SLEEVE, SPRING NOT TO EXCEED 1 1/2" FULLY COMPRESSED RAIL ENDS TO BE 3" APART IN SLEEVE AT CENTER LINE SLEEVE "V" CRIMP
- BOTTOM SELVAGE TO BE KNUCKLED. FABRIC SHALL BE CONTINUOUS ACROSS ALL
- 18. STRETCHER BAR BAND FASTENERS TO BE 5/16 " DIA. BY 1 1/4 " CARRIAGE BOLTS.
- 20. ALL HOLES IN CASTINGS SHALL BE 7/16 " DIA. ALL CASTINGS SHALL BE DESIGNED
- PLATE AND CONCRETE WITH A COLD-POURED JOINT SEALER CONFORMING TO SUBSECTION 914.02 OF NJDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION, JOINT MATERIAL ASTM D5893, TYPE NS.
- POST, 1/2 " ABOVE BASE PLATE FOR DRAINAGE. LOCATE HOLE PARALLEL TO FENCING. IF TYPE I, TYPE II OR TYPE IV FENCE IS USED, APPLY CORROSION PROTECTIVE COATING OVER DRILLED HOLES IN ACCORDANCE WITH ASTM A780.
- 24. PROVIDE WING (AS SHOWN IN THE DETAIL) AT BOTH ENDS OF PARAPET/FENCE.
- RELATED TO THE ERECTION OF THE FENCE SHALL BE INCLUDED IN THE "CHAIN-LINK

(6'-3" HIGH, CURVED TOP)

JERSEY DEPARTMENT OF TRANSPORTATION

BUREAU OF STRUCTURAL ENGINEERING

BRIDGE CONSTRUCTION DETAILS

146