


## WELDON BARRIER GATE PLAN Double Gate Configuration - Curved Support Design

**Two 8' wide by 44" tall gate** - hung between the posts - using Central Eye Hinges (Product Code #8312).



	HARDW	ARE REQUIRED						
Finish Options Available	Galvanized Finish	Black Powder Coat over Galvanized Finish						
Plan Specified Required Hardware				<b>Central Eye Hinge Advantages</b> Opens both ways 100 degrees.				
<b>Both Sets Include:</b> (All fasteners are included with hardware)	2 of 8312-S242	2 of 8312-S24P	Incredible amount of adjustment.					
	two 24 inch double strap (8312-542 or 8312-54SP)		Easy operation. Very strong.					
	two adjustable bottom gate fitting (8250-002 or 8250-00P) four 12" adjustable gate pin (8801-122 or 8801-12P)		vory shorig.					
			Dimensions (feet and inches)					
Central Latch Option			Α	В	С	D	E	F
Throw Over Gate Loop(shown)	4200-032	4200-03SP	4.5"	8'	1"	8'	4.5"	16' - 10''
Optional Gate Holdback				A magne of keeping gates apon				
	4270-122	4270-12SP	A means of keeping gates open					
	Lumb	er Required						
Posts	2 of 8' x 6" x 6" (usually dressed out at 5.5" x 5.5") 6 of 8' x 1" x 5.5" 4 of 8' x 1" x 5.5" 2 of 8' x 1" x 5.5" (straight support design) or 4 of 8' x 1" x 5.5" (curved support design)			Rails, Stiles (uprights) and Diagonals made from full 1" thick lumber (commonly sold as decking lumber) or 1" rough cut lumber (4/4).				
Rails								
Stiles								
Diagonals								
Filler Blocks	use off cuts from above							
	Fasteners Require	d for Gate Construction						
2 of FP-WeldonBarr Fastener Pa	ack for Weldon Barrier Gate Build (Includes 40 of 1.7	5" wood screws, 2 of 3/8" dowel rod and 9 of 3.5"	HDG c	arriag	e boli	s, nut	s and	washers)

Download includes this materials list, component cutting and layout sheet. For a complete listing of our Free Gate Plans, please visit snugcottagehardware.com

