

# OZCO BUILDING PRODUCTS



**HILLMAN™**



# Galleries, Flip Books & Inspiration Boards

OZCObp.com





# '' Best upgrade ever!

*You will never add a smaller upgrade that will get you bigger attention to your home! These are unique eye candy no matter the style of your home! So very happy I found them, it changed the look of garden gate, fence and wood trim in kitchen into something special. ♡ ♡*

Julia H. ~ Verified Buyer





# Free Project Plans

**OZCO Has A Full Library of FREE Project Plans on Our Website**

**OZCObp.com**

First Browse Our Quick Bill of Material Sheets, Use the BOM as Your Shopping Guide & Once Your Are Ready to Build Download the Detailed Project Plan

**FREE Project Plans**  
Step by Step How To's  
Material & Cut Lists  
**OZCObp.com**





Project #112



Project #576

**CHOOSE FROM OUR VAST LIBRARY OF QUICK BILL OF MATERIALS TO FULL PROJECT PLANS, THOUSANDS OF PICTURES, VIDEOS, SPECS AND GUIDES!**





**With Over A Hundred Plans to Choose From, You Are Sure to Find A Match!**

**ZCO BUILDING PRODUCTS**

**ONTARIO**

**6080 Project 2006 - Two Post Pergola for x**

**Overview-Front**

adjustments may be required due to differences in roof pitch and soffit dimensions

shown with deck

shown without deck

© 2006, Two Post Pergolas, Inc. All rights reserved. This information is provided as a guide only. Dimensions and materials are subject to change without notice.



## Project #396





**OWT-LITE HARDWARE**
**12 - 15**

|       |                                          |    |
|-------|------------------------------------------|----|
| 54207 | 4X4 Post Base - Laredo Sunset OWT-LITE   | 13 |
| 54208 | 6X6 Post Base - Laredo Sunset OWT-LITE   | 13 |
| 54209 | 8X8 Post Base - Laredo Sunset OWT-LITE   | 13 |
| 54210 | 8" Post to Beam - Laredo Sunset OWT-LITE | 13 |
| 52107 | 4X4 Post Base - Ironwood OWT-LITE        | 14 |
| 52108 | 6X6 Post Base - Ironwood OWT-LITE        | 14 |
| 52109 | 8X8 Post Base - Ironwood OWT-LITE        | 14 |
| 52110 | 8" Post to Beam - Ironwood OWT-LITE      | 14 |


**TRUSS TIES OWT-LITE**
**16 - 19**

|       |                                      |    |
|-------|--------------------------------------|----|
| 51784 | 4" 90° Flush Outside - Ironwood      | 16 |
| 56684 | 4" 90° Flush Outside - Laredo Sunset | 16 |
| 51799 | 5" 90° Flush Outside - Ironwood      | 16 |
| 56699 | 5" 90° Flush Outside - Laredo Sunset | 16 |
| 51766 | "T" Tie Plate 4" - Ironwood          | 19 |
| 56666 | "T" Tie Plate 4" - Laredo Sunset     | 19 |
| 51792 | "T" Tie Plate 5" - Ironwood          | 19 |
| 56692 | "T" Tie Plate 5" - Laredo Sunset     | 19 |


**4X4 POST BASES**
**20 - 25**

|       |                                                  |    |
|-------|--------------------------------------------------|----|
| 51707 | 4X4 Post Base - Ironwood                         | 21 |
| 56607 | 4X4 Post Base - Laredo Sunset                    | 21 |
| 56641 | 2X4 Top Rail Saddle - Laredo Sunset              | 21 |
| 51730 | 4X4 Post Base Twin Rail Saddle - Ironwood        | 23 |
| 56630 | 4X4 Post Base Twin Rail Saddle - Laredo Sunset   | 23 |
| 51731 | 4X4 Post Base Single Rail Saddle - Ironwood      | 23 |
| 56631 | 4X4 Post Base Single Rail Saddle - Laredo Sunset | 23 |
| 51789 | 4X4 Faux Post Base - Ironwood                    | 25 |
| 56689 | 4X4 Faux Post Base - Laredo Sunset               | 25 |


**LARGE POST BASES**
**26 - 33**

|       |                                                  |    |
|-------|--------------------------------------------------|----|
| 56604 | 4X6 Post Base - Laredo Sunset                    | 27 |
| 51708 | 6X6 Post Base - Ironwood                         | 27 |
| 56608 | 6X6 Post Base - Laredo Sunset                    | 27 |
| 51772 | 6X6 Post Base Twin Rail Saddle - Ironwood        | 29 |
| 56672 | 6X6 Post Base Twin Rail Saddle - Laredo Sunset   | 29 |
| 51771 | 6X6 Post Base Single Rail Saddle - Ironwood      | 29 |
| 56671 | 6X6 Post Base Single Rail Saddle - Laredo Sunset | 29 |
| 51709 | 8X8 Post Base - Ironwood                         | 31 |
| 56609 | 8X8 Post Base - Laredo Sunset                    | 31 |
| 51705 | 10X10 Post Base - Ironwood                       | 31 |
| 56605 | 10X10 Post Base - Laredo Sunset                  | 31 |
| 51790 | 6X6 Faux Post Base - Ironwood                    | 33 |
| 56690 | 6X6 Faux Post Base - Laredo Sunset               | 33 |
| 51791 | 8X8 Faux Post Base - Ironwood                    | 33 |
| 56691 | 8X8 Faux Post Base - Laredo Sunset               | 33 |


**POST BANDS & ACCESSORIES**
**34 - 37**

|       |                                          |    |
|-------|------------------------------------------|----|
| 51783 | 4X4 Post Band - Ironwood                 | 35 |
| 51786 | 6X6 Post Band - Ironwood                 | 35 |
| 51787 | 8X8 Post Band - Ironwood                 | 35 |
| 57704 | Plant Hanger - Post Band Accessory       | 35 |
| 57703 | Wine Glass Holder - Post Band Accessory  | 34 |
| 57705 | Wine Bottle Holder - Post Band Accessory | 37 |
| 57706 | Shackle Ring - Post Band Accessory       | 37 |
| 57707 | Can/Mobile Holder - Post Band Accessory  | 37 |
| 57708 | Towel Hook - Post Band Accessory         | 37 |


**COLUMN CAPS**
**40 - 41**

|       |                                |    |
|-------|--------------------------------|----|
| 51778 | 4X4 Column Caps- Ironwood      | 41 |
| 56678 | 4X4 Column Caps- Laredo Sunset | 41 |
| 51779 | 6X6 Column Caps- Ironwood      | 41 |
| 56679 | 6X6 Column Caps- Laredo Sunset | 41 |


**POST TO BEAMS**
**42 - 47**

|       |                                          |    |
|-------|------------------------------------------|----|
| 51775 | 4" Post to Beam - Ironwood               | 43 |
| 56675 | 4" Post to Beam - Laredo Sunset          | 43 |
| 51735 | 6" Post to Beam - Ironwood               | 43 |
| 56635 | 6" Post to Beam - Laredo Sunset          | 43 |
| 51736 | Post to Beam Bolt Offset - Ironwood      | 45 |
| 56636 | Post to Beam Bolt Offset - Laredo Sunset | 45 |
| 51737 | Post to Beam Bolt Inline - Ironwood      | 45 |
| 56637 | Post to Beam Bolt Inline - Laredo Sunset | 45 |
| 51710 | 8" Post to Beam - Ironwood               | 46 |
| 56610 | 8" Post to Beam - Laredo Sunset          | 46 |
| 51776 | 8" Post to Beam Flush - Ironwood         | 47 |
| 56676 | 8" Post to Beam Flush - Laredo Sunset    | 47 |
| 51777 | 8" Post to Beam Coupler - Ironwood       | 47 |
| 56677 | 8" Post to Beam Coupler - Laredo Sunset  | 47 |


**JOIST & BEAM HANGERS**
**48 - 51**

|       |                                          |    |
|-------|------------------------------------------|----|
| 51739 | Joist Hanger Flush 6 -8" - Ironwood      | 48 |
| 56639 | Joist Hanger Flush 6 -8" - Laredo Sunset | 48 |
| 51714 | 6" Beam Hangers - Ironwood               | 49 |
| 57714 | 6" Beam Hangers - Laredo Sunset          | 49 |
| 51769 | 6-8" Beam Hanger Flush - Ironwood        | 49 |
| 56669 | 6-8" Beam Hanger Flush - Laredo Sunset   | 49 |
| 51740 | Joist Hanger Tab 6-8" - Ironwood         | 51 |
| 56640 | Joist Hanger Tab 6-8" - Laredo Sunset    | 51 |
| 51770 | 8-10" Joist Hanger Flush - Ironwood      | 51 |
| 56670 | 8-10" Joist Hanger Flush - Laredo Sunset | 51 |


**RAFTER SEAMS**
**52 - 53**

|       |                             |    |
|-------|-----------------------------|----|
| 51793 | Rafter Seam - Ironwood      | 53 |
| 56693 | Rafter Seam - Laredo Sunset | 53 |


**RAFTER CLIPS**
**54 - 57**

|         |                                          |    |
|---------|------------------------------------------|----|
| 51738   | 2" HV Rafter Clip - Ironwood             | 54 |
| 51717   | 2" Rafter Clips - Ironwood - (10PK)      | 55 |
| 41717-1 | 2" Rafter Clips - Ironwood - (2PK)       | 55 |
| 11717-1 | 2" Rafter Clips - Ironwood - (BULK)      | 55 |
| 56617   | 2" Rafter Clips - Laredo Sunset          | 55 |
| 46617-1 | 2" Rafter Clips - Laredo Sunset - (2PK)  | 55 |
| 16617   | 2" Rafter Clips - Laredo Sunset - (BULK) | 55 |
| 56638   | 2" HV Rafter Clip - Laredo Sunset        | 55 |
| 51718   | 4" Rafter Clips -Ironwood                | 57 |
| 41718-1 | 4" Rafter Clips - Ironwood (2PK)         | 57 |
| 56618   | 4" Rafter Clips - Laredo Sunset          | 57 |
| 46618-1 | 4" Rafter Clips - Laredo Sunset (2PK)    | 57 |
| 51768   | 4" Flush Inside 45° - Ironwood           | 57 |
| 56668   | 4" Flush Inside 45° - Laredo Sunset      | 57 |

**TRUSS ACCENTS**
**58 - 59**

|       |                                    |    |
|-------|------------------------------------|----|
| 51711 | Truss Accent Plate - Ironwood      | 59 |
| 56611 | Truss Accent Plate - Laredo Sunset | 59 |

**TRUSS TIES & ANGLES**
**60 - 63**

|       |                         |    |
|-------|-------------------------|----|
| 56615 | Flush Inside 90°Plate   | 61 |
| 56616 | Flush Inside 45°Plate   | 61 |
| 56612 | "T" Tie Plate           | 61 |
| 57712 | "T" Tie Plate Extended  | 61 |
| 57713 | Large Outside 90° Plate | 62 |
| 56614 | Flush Outside 90° Plate | 62 |
| 56613 | Butt Joint Flush        | 62 |


**TRUSS BASE FANS**
**68 - 73**

|       |                              |    |
|-------|------------------------------|----|
| 56619 | Truss Base Fan 8:12 Plate    | 69 |
| 56620 | Truss Base Fan 10:12 Plate   | 69 |
| 56644 | Truss Base Fan 12:12 Plate   | 69 |
| 56645 | Truss Base Fan T Plate       | 73 |
| 56646 | Truss Base Fan 3 Point Plate | 73 |


**ACCENTS**
**74 - 75**

|       |                |    |
|-------|----------------|----|
| 56623 | Star 2 3/4" OD | 75 |
|-------|----------------|----|



|         |                                        |    |
|---------|----------------------------------------|----|
| 56624   | Star 3 3/8" OD                         | 75 |
| 16624   | Star 3 3/8" OD - BULK                  | 75 |
| 56681   | 1" Hex Cap Nut                         | 75 |
| 56621   | 1 1/2" Hex Cap Nut - (10PK)            | 75 |
| 44621-1 | 1 1/2" Hex Cap Nut - (4PK)             | 75 |
| 16621   | 1 1/2" Hex Cap Nut - (250PK)           | 75 |
| 56622   | 1 1/4" Hammered Dome Cap Nut - (10PK)  | 75 |
| 16622   | 1 1/4" Hammered Dome Cap Nut - (250PK) | 75 |



## OWT TIMBER BOLTS

76 - 81

|       |                                    |    |
|-------|------------------------------------|----|
| 56673 | 3/4" 1 1/2"-4" Timber Bolts        | 79 |
| 56649 | 3/4" 4-6" Timber Bolts             | 79 |
| 56650 | 3/4" 6-8" Timber Bolts             | 79 |
| 56651 | 3/4" 8-10" Timber Bolts            | 79 |
| 56652 | 3/4" 10-12" Timber Bolts           | 79 |
| 16673 | 3/4"x1 1/2"-4" Timber Bolts - BULK | 79 |
| 16649 | 3/4" 4-6" Timber Bolts - BULK      | 79 |
| 16650 | 3/4" 6-8" Timber Bolts - BULK      | 79 |
| 16651 | 3/4" 8-10" Timber Bolts - BULK     | 79 |
| 16652 | 3/4" 10-12" Timber Bolts - BULK    | 79 |
| 56680 | HD Timber Bolt Washer              | 79 |
| 16680 | HD Timber Bolt Washer - BULK       | 79 |
| 56694 | 1/2" 1 1/2"-4" Timber Bolts        | 81 |
| 56695 | 1/2" 4-6" Timber Bolts             | 81 |
| 56696 | 1/2" 6-8" Timber Bolts             | 81 |
| 56697 | 1/2" 8-10" Timber Bolts            | 81 |
| 56698 | 1/2" 10-12" Timber Bolts           | 81 |



## OWT TIMBER SCREWS

84 - 85

|       |                                    |    |
|-------|------------------------------------|----|
| 56625 | 1/4" X 1 3/4" Timber Screws        | 85 |
| 56626 | 1/4" X 2 3/4" Timber Screws        | 85 |
| 56627 | 1/4" X 3 3/4" Timber Screws        | 85 |
| 56628 | 1/4" X 5 3/4" Timber Screws        | 85 |
| 56629 | 1/4" X 7 1/2" Timber Screws        | 85 |
| 56647 | 1/4" X 10" Timber Screws           | 85 |
| 56648 | 1/4" X 12" Timber Screws           | 85 |
| 16625 | 1/4" X 1 3/4" Timber Screws - BULK | 85 |
| 16626 | 1/4" X 2 3/4" Timber Screws - BULK | 85 |
| 16627 | 1/4" X 3 3/4" Timber Screws - BULK | 85 |
| 16628 | 1/4" X 5 3/4" Timber Screws - BULK | 85 |
| 16629 | 1/4" X 7 1/2" Timber Screws - BULK | 85 |
| 16647 | 1/4" X 10" Timber Screws - BULK    | 85 |
| 16648 | 1/4" X 12" Timber Screws - BULK    | 85 |



## OWT GATE HARDWARE & ACCESSORIES

86 - 87

|         |                                         |    |
|---------|-----------------------------------------|----|
| 56661   | T Hinge - (Bulk Single)                 | 86 |
| 56662   | Strap Hinge - (Bulk Single)             | 86 |
| 56663   | Butterfly Hinge - (Bulk Single)         | 86 |
| 56664   | Standard Latch w Handle - (Bulk Single) | 86 |
| 56660   | Gate Accent Speak Easy                  | 86 |
| 56100-1 | 16" Carriage House Straps               | 86 |
| 56110-1 | 9 3/4" Carriage House Handles           | 86 |
| 56658   | Gate Accent Scroll                      | 84 |
| 56665   | Gate Accent Star                        | 84 |



## FENCE BRACKETS & ACCESSORIES

90 - 91

|         |                                               |    |
|---------|-----------------------------------------------|----|
| 50110   | WAP-OZ Steel 2 Wood Fence Bracket             | 90 |
| 52212   | WAP-OZ Steel 2 Wood Fence Bracket (12PK)      | 90 |
| 50111   | WAP-OZ Steel 2 Wood Fence Bracket BULK (50PK) | 90 |
| 50140-1 | WAP-238-90 Inside 90°                         | 90 |
| 50130-1 | WAP-238 Steel 2 Wood Fence Bracket BULK       | 90 |
| 50120-1 | Wood 2 Wood Fence Bracket                     | 91 |
| 20550   | 3' Steel Post Extender                        | 91 |

## POST ANCHORS - WOOD POSTS

96 - 97

|         |                          |         |
|---------|--------------------------|---------|
| 30700   | MB-24 - (3 1/2" Square)  | 96      |
| 30160   | T4-850 - (3 1/2" Square) | 96, 102 |
| 30180-1 | T4-600 - (3 1/2" Square) | 96      |

|                                   |                           |                |
|-----------------------------------|---------------------------|----------------|
| 30380                             | T46-850 - (3 1/2"X5 1/2") | 96             |
| 30400                             | T6-850 - (5 1/2" Square)  | 97             |
| <b>POST ANCHORS - STEEL POSTS</b> |                           | <b>98 - 99</b> |
| 30000                             | GB-700 - (1 1/8" Round)   | 98             |
| 30020                             | HB-700 - (1 1/8" Round)   | 98             |
| 30040                             | ISW-850 - (2 3/8" Round)  | 98             |
| 30060-1                           | IS-600 - (2 3/8" Round)   | 98             |
| 50890                             | Cap Driving Tool          | 99             |
| 30500                             | 2 3/8" Round Post Base    | 99             |

## POST ANCHORS - DECORATIVE POSTS

100 - 101

|       |                           |     |
|-------|---------------------------|-----|
| 30300 | I2-850 - (2" Square)      | 100 |
| 30320 | I2-600 - (2" Square)      | 100 |
| 30340 | I25-850 - (2 1/2" Square) | 100 |
| 30360 | I3-850 - (3" Square)      | 100 |

## OZ-DECK - FOUNDATION SYSTEM

102 - 103

|       |                          |         |
|-------|--------------------------|---------|
| 50880 | OZ-Deck Plate            | 102     |
| 30160 | T4-850 - (3 1/2" Square) | 96, 102 |
| 30410 | T6-700 - (5 1/2" Square) | 102     |

## OZ-TOOLS

104 - 105

|         |                                  |     |
|---------|----------------------------------|-----|
| 20480   | JDK-10 - (Jackhammer Driver Kit) | 104 |
| 20500   | MDK-13 Manual Driving Kit        | 104 |
| 20440   | OH-02 - (Oz-Hammer Driver)       | 104 |
| 50740   | Post Level                       | 104 |
| 40520   | HSP-T46 - (Hammer-Spacer) ●      | 104 |
| 40540-1 | HSP-T6 - (Hammer-Spacer) ●       | 104 |
| 40580-1 | HSP-I25 - (Hammer-Spacer) ○      | 104 |
| 40600-1 | HSP-I3 - (Hammer-Spacer) ●       | 104 |
| 40640-1 | HSP-HB - (Hammer-Spacer) ●       | 104 |
| 50800   | OZ-Puller®                       | 105 |
| 50820   | Plug Clamp                       | 105 |
| 50833   | Post Clamp                       | 105 |



## TELESCOPING SUPPORT ARMS

106 - 109

|       |                                |     |
|-------|--------------------------------|-----|
| 63308 | 7-8" Telescoping Support Arm   | 106 |
| 63309 | 8-9" Telescoping Support Arm   | 106 |
| 63313 | 10-13" Telescoping Support Arm | 106 |
| 63318 | 14-18" Telescoping Support Arm | 106 |
| 63326 | 19-26" Telescoping Support Arm | 109 |
| 63336 | 27-36" Telescoping Support Arm | 109 |
| 63348 | 37-48" Telescoping Support Arm | 109 |

## MOUNTING ACCESSORIES


110 - 111

|       |                                      |     |
|-------|--------------------------------------|-----|
| 67705 | Counter Plug Mounting Accessory      | 110 |
| 67702 | 90° Plug Mounting Accessory          | 110 |
| 67708 | Floating Arm Plug Mounting Accessory | 110 |
| 67711 | "T" Plug Mounting Accessory          | 110 |



**Categories** are indicated by an easy to distinguish **Outer Circle** around a **Typical Installation Graphic** of the product and the header bar on each page.

**Typical Installation Graphics** are the most common installation configuration, but not limited to. **Note:** This is how the product has been tested. OZCO products are versatile and can almost always be used in a variety of projects and scale.





# 10 REASONS OZCO is the GREATER Choice In Building Materials



## PATENTS

- OZCO has been granted 24 US patents on its products with more pending.
- OZCO invests in protecting its intellectual property.



## SOCIAL PROOF ★★★★★

- Check out our 100's of product reviews, across industry leading sources print & digital.
- Thousands of DIY and Pro submitted project pictures, posts and engagement.
- Featured on several popular HGTV & DIY home improvement shows.



## COST SAVING

- Custom cut steel is expensive in part to the time consuming manufacturing process and simply doesn't last as long.
- What is the cost per pound? Take the cost/weight and you will quickly see that OWT hardware has the lowest cost per pound.
- Don't pay more for less — With OZCO products that is never the case.



## ADJUSTABLE

- Lumber dimensions vary tremendously — from rough cut, smooth, reclaimed and so on, combined with the many types of species utilized with OWT connectors.
- Other connectors on the market require bending of the brackets or the size of material to be known before placing orders. Neither option is ideal — OWT connectors are the answer offering truly adjustable on-site installation with ease.
- A complete and tight connection produces the highest level of strength and performance in any installation.



## HOT DIPPED GALVANIZED

- Not all galvanized is created equal, pre-galvanized steel does not perform as well as HDG.
- Galvanizing after production ensures all areas of the steel is uniformly coated with zinc.
- Same process used for national highway guardrails, an area subjected to some of the harshest environmental conditions.

## POWDER COATED

- OWT hardware features high grade exterior powder coating.
- PC performs better than liquid paint typically used by steel fabricators.
- All of the OZCO black powder coated hardware is truly uniform providing consistency & performance for the entire project.



## THICKER STEEL

- The thicker the steel is the stronger the connection will be.
- OWT steel thickness is scaled to be more pleasing to the eye.
- Pays homage to the history of this type of timber construction.



## TESTING / REPORTS

- OWT hardware is not only attractive but it is also structural.
- We could manufacture our products for a lower cost but our goal is to make our products perform above industries standards.
- Drawings and load data listed on CADdetails for easy access.




## KITS & PACKAGING

- At OZCO we are builders too, so whenever possible we include the necessary hardware to keep your list short, save time & money.
- Well packaged to remain in excellent condition from the store to the job-site.
- Packaged in job sized quantities for DIY and Pro.



## TIMBER BOLTS & SCREWS

- OWT Timber Screws feature performance with strength that is second to none — in a wide range of lengths for all types of projects.
- Screws can be used successfully when the force is predominantly shear load.
- Don't forget to use our Heavy Duty Washer on wood to wood connections for added strength and style.





Each icon below has a detailed description and each is a commonly used term throughout the various OZCO product brands. At any point in this catalog you can refer back to this page for an icon's meaning. These icons are used on product packaging to help identify key features.

|                                                                                     |                                                                                                                      |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>ACQ</b>                                                                          | Approved to Use With ACQ Treated Lumber<br>Aprobado para su uso con ACQ Madera Tratada                               |
| <b>G-PC</b>                                                                         | Bold Design Featuring Powder Coated Galvanized Steel<br>intrépido que ofrece revestido de polvo de acero galvanizado |
| <b>Al-PC</b>                                                                        | Bold Design Featuring Powder Coated Aluminum<br>Tornillo Diseñado con Revestidura de Polvo de Aluminio               |
| <b>PGS</b>                                                                          | Pre-Galvanized Steel<br>Antes de Acero Galvanizado                                                                   |
| <b>HDG</b>                                                                          | Hot Dipped Galvanized Steel<br>Acero Galvanizado en Caliente                                                         |
| <b>PC</b>                                                                           | Powder Coated<br>Polvo Cubierto                                                                                      |
| <b>CRC</b>                                                                          | Corrosion Resistant Coated<br>Recubierto Resistente a la Corrosión                                                   |
| <b>Al</b>                                                                           | Aluminum<br>Aluminio                                                                                                 |
|    | Thickness<br>Espesor                                                                                                 |
|    | Hex Head Size<br>Hexagonal de Tamaño de la Cabeza                                                                    |
|  | Hardware Included<br>Incluye Piezas de Montaje                                                                       |
|  | Hardware NOT Included<br>NO Incluye Piezas de Montaje                                                                |
|  | No Pre-Drilling Required<br>No Pre-Perforación Requerida                                                             |
|  | Fasten-Ready Technology™<br>Fije Tecnología Listo                                                                    |
|  | Quantity of Pieces Included in Package<br>Cantidad de Piezas Incluidas en el Paquete                                 |
|  | Load-Bearing<br>Carga de Peso Hacia Abajo                                                                            |
|  | Load-Lift<br>Carga de Peso Para Arriba                                                                               |
|  | Lateral-Load<br>De Carga-Lateral                                                                                     |
|  | Ultimate Tensile Strength (UTS)<br>Resistencia a la Tracción (UTS)                                                   |
|  | Product Has A U.S. Patent<br>El Producto Tiene una Patente de U.S.                                                   |
|  | Indicates Bit Tip Size<br>Indica tamaño de la punta                                                                  |

|                                                                                     |                                                                                                                                                |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
|    | Hurricane Zone Tested Approved to 120mph<br>El huracán Zona Probado Aprobado a 120mph                                                          |
|    | Product Weight<br>Peso del Product                                                                                                             |
|    | Adjustable To Fit All Standard "x" Posts (½" to ")<br>Ajustable a Cualquier Poste de "x" Posts (½" to ")                                       |
|    | Exclusive Ledge Design for Critical Connectors Point<br>Exclusivo Diseño de Cornisa para el Punto de Conexión                                  |
|   | Includes Matching Black Corrosion Resistant Fasteners<br>Incluye Juego de Sujetadores Resistentes a la Corrosión.                              |
|  | For Use With OWT Timber Screws or OWT Timber Bolts<br>Para Uso con OWT Timber Screws y OWT Tornillos Para Vigas                                |
|  | Pre-Engineered To Match Structural Angles<br>Pre-Diseñado Para Igualar Cualquier Angulo Estructural                                            |
|  | Easily Mounted Anywhere on a Ledge or Beam<br>Montado Fácilmente en Cualquier Lugar en una Repisa o Viga                                       |
|  | Unique "Diamond Eye" Locating Cutout For Quick Installation<br>Único "Diamante con Facil" Localización de rRecorte Para una Instalación Rápida |
|  | Helpful Product Information & Recommendations<br>Información y Recomendaciones útil del Producto                                               |
|  | Fits Seamlessly With a Variety of OZCO Products<br>Se Adapta Sin Problemas a Toda la Variedad de Productos OZCO                                |
|  | Number of Truss Accents Required for Product<br>Número de Acentador Fijo Requerido para Producto                                               |
|  | Perpendicular Alignment<br>Alineación Perpendicular                                                                                            |
|  | Parallel Alignment<br>Alineación Paralela                                                                                                      |
|  | Indicates Decorative Style by Letters & Color<br>Indica Estilo Decorativo por el Color y las Letras                                            |
|  | Case Quantity<br>Cantidad por Caja                                                                                                             |

coming soon  **ENGINEERING EXPRESS®**  
**ENGINEERING MARKETPLACE**  
[www.engineeringexpress.com/ozco/](http://www.engineeringexpress.com/ozco/)



## The Industry Leading Provider

High quality building & design content for AEC professionals throughout North America.

[www.OZCObp.com/CAD-details](http://www.OZCObp.com/CAD-details)

Precautions have been taken to ensure the accuracy of the information in this catalog. Product dimensions in this catalog are nominal and are provided for the convenience of our customers. OZCO Building Products reserves the right to make product changes from time to time, without the prior notification in turn changing the information shown within this catalog. It is recommended to call or email customer service to verify specs before starting any project planning.

CAUTION: This hardware may not be suitable for every situation or installation application. A design professional should be consulted to ensure the specific installation application meets local building code requirements.



# Connectors for Wood Projects

- Steel connectors provide the strength needed for construction
- Connectors reduce construction time and improve appearance
- It's easier to meet building code requirements with connectors

**Family & Friends Gather... OZCO Connects**





# More Inspiration from Our Photo Galleries

OZCObp.com



Project #750







# OWT Ornamental Wood Ties LITE POWER

more buying

available in Laredo Sunset & Ironwood



Like the OWT Post base, the OWT Lite is beautifully designed and features some of the same patented features as the Original. It also features a 1 inch offset to meet international residential building code for installation using non-rot-resistant lumber. OWT-Lite products are simplified versions original OWT products designed to meet minimum load requirements, and offered at a lower price point.



## Lite 4"x 4" Post Base


Item #: 54207 (4X4-PB-LSL) Laredo Sunset

### Kit Includes:

- ① 1 Post Base Plate
- ② 2 Decorative Plates
- ③ 4 Hex Cap Nuts
- ④ 4 3/8" H-Bolt
- ⑤ 4 1 3/4" OWT Timber Screws

3.06 lbs 1.39 kg 

 Adjustable To Fit All Standard 4"x 4" Posts (3 1/2" to 4")



## Lite 6"x 6" Post Base


Item #: 54208 (6X6-PB-LSL) Laredo Sunset

### Kit Includes:

- ① 1 Post Base Plate
- ② 2 Decorative Plates
- ③ 4 Hex Cap Nuts
- ④ 4 3/8" H-Bolt
- ⑤ 4 2 3/4" OWT Timber Screws

5.22 lbs 2.37 kg 

 Adjustable To Fit All Standard 6"x 6" Posts (5 1/2" to 6")



## Lite 8"x 8" Post Base


Item #: 54209 (8X8-PB-LSL) Laredo Sunset

### Kit Includes:

- ① 1 Post Base Plate
- ② 2 Decorative Plates
- ③ 4 Hex Cap Nuts
- ④ 4 3/8" H-Bolt
- ⑤ 4 3 3/4" OWT Timber Screws

7.72 lbs 3.5 kg 

 Adjustable To Fit All Standard 8"x 8" Posts (7 1/2" to 8")



## Lite 8" Post 2 Beam


Item #: 54210 (8-P2B-LSL)

### Kit Includes:

- ① 2 Post Ledge Bases
- ② 2 Top Cover Plates
- ③ 8 Hex Cap Nuts
- ④ 4 2 3/4" OWT Timber Screws
- ⑤ 4 3 3/4" OWT Timber Screws

2.89 lbs 1.31 kg 

 Adjustable To Fit All Standard 2" Boards (1 1/2" to 1 7/8")





## Lite 4"x 4" Post Base


Item #: 52107 (4X4-PB-IWL) Ironwood

### Kit Includes:

- 1 1 Post Base Plate
- 2 2 Decorative Plates
- 4 4 Hex Cap Nuts
- 4 4  $\frac{3}{8}$ " H-Bolt
- 5 4 1  $\frac{3}{4}$ " OWT Timber Screws

3.06 lbs 1.39 kg 8

Adjustable To Fit All Standard 4"x 4" Posts (3½" to 4")



## Lite 6"x 6" Post Base


Item #: 52108 (6X6-PB-IWL) Ironwood

### Kit Includes:

- 1 1 Post Base Plate
- 2 2 Decorative Plates
- 4 4 Hex Cap Nuts
- 4 4  $\frac{3}{8}$ " H-Bolt
- 5 4 2  $\frac{3}{4}$ " OWT Timber Screws

5.22 lbs 2.37 kg 6

Adjustable To Fit All Standard 6"x 6" Posts (5½" to 6")



## Lite 8"x 8" Post Base


Item #: 52109 (8X8-PB-IWL) Ironwood

### Kit Includes:

- 1 1 Post Base Plate
- 2 2 Decorative Plates
- 4 4 Hex Cap Nuts
- 4 4  $\frac{3}{8}$ " H-Bolt
- 5 4 3  $\frac{3}{4}$ " OWT Timber Screws

7.72 lbs 3.5 kg 4

Adjustable To Fit All Standard 8"x 8" Posts (7½" to 8")



## Lite 8" Post 2 Beam


Item #: 52110 (8-P2B-IWL) Ironwood

### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 8 Hex Cap Nuts
- 4 4 2¾" OWT Timber Screws
- 5 4 3¾" OWT Timber Screws

2.89 lbs 1.31 kg 6

Adjustable To Fit All Standard 2" Boards (1½" to 1¾")



G-PC

ACQ

CRC



250 lbs  
113 kg



.12"  
3mm





Project #750



Project #751



## 4" 90° Flush Outside

Item #: 51784 (FO90-HCN-4-IWL)


IW

### Includes:

- ① 1 4" Plate
- ② 4 Hex Cap Nuts
- ③ 4 1¾" OWT Timber Screws

QTY  
1  
pcs

2 lbs .84 kg 3 ¼



## 4" 90° Flush Outside

Item #: 56684 (FO90-HCN-4-LSL)


LS

### Includes:

- ① 1 4" Plate
- ② 4 Hex Cap Nuts
- ③ 4 1¾" OWT Timber Screws

QTY  
1  
pcs

2 lbs .84 kg 3 ¼



## 5" 90° Flush Outside

Item #: 51799 (FO90-HCN-5-IWL)


IW

### Includes:

- ① 1 5" Plate
- ② 4 Hex Cap Nuts
- ③ 4 1¾" OWT Timber Screws

QTY  
1  
pcs

3.42 lbs 1.55 kg 3 ¼



## 5" 90° Flush Outside

Item #: 56699 (FO90-HCN-5-LSL)


LS

### Includes:

- ① 1 5" Plate
- ② 4 Hex Cap Nuts
- ③ 4 1¾" OWT Timber Screws


QTY  
1  
pcs

3.42 lbs 1.55 kg 3 ¼




All OWT-Lite products are available in OWT original for projects requiring more connection power.





Project #346







### "T" Tie Plate 4"

Item #: 51766 (TTP-HCN-4-IWL)

**Includes:**


- ① 1 4" Plate
- ② 6 Hex Cap Nuts
- ③ 6 1¾" OWT Timber Screws

2.38 lbs 1.078 kg



**IW**

**QTY**  
**1**  
**pcs**



### "T" Tie Plate 4"

Item #: 56666 (TTP-HCN-4-IWL)

**Includes:**


- ① 1 4" Plate
- ② 6 Hex Cap Nuts
- ③ 6 1¾" OWT Timber Screws

2.38 lbs 1.078 kg



**LS**

**QTY**  
**1**  
**pcs**



### "T" Tie Plate 5"

Item #: 51792 (TTP-HCN-5-IWL)

**Includes:**


- ① 1 5" Plate
- ② 6 Hex Cap Nuts
- ③ 6 1¾" OWT Timber Screws

4.5 lbs 2.04 kg



**IW**

**QTY**  
**1**  
**pcs**



### "T" Tie Plate 5"

Item #: 56692 (TTP-HCN-5-LSL)

**Includes:**


- ① 1 5" Plate
- ② 6 Hex Cap Nuts
- ③ 6 1¾" OWT Timber Screws

4.5 lbs 2.04 kg



**LS**

**QTY**  
**1**  
**pcs**



All OWT-Lite products are available in OWT original for projects requiring more connection power.



PGS

ACQ


CRC

3/4

3/4

.12" 3mm











## 4"x 4" Post Base Kit

Item #: 51707 (4X4-PB-IW) Ironwood

### Kit Includes:

- ① 1 Post Base Plate
- ② 4 Decorative Plates
- ③ 8 Hex Cap Nuts
- ④ 8 1 3/4" OWT Timber Screws







Adjustable To Fit All Standard 4"x 4" Posts (3 1/2" to 4")

## 4"x 4" Post Base Kit

Item #: 56607 (4X4-PB-LS) Laredo Sunset



### Kit Includes:

- ① 1 Post Base Plate
- ② 4 Decorative Plates
- ③ 8 Hex Cap Nuts
- ④ 8 1 3/4" OWT Timber Screws



Adjustable To Fit All Standard 4"x 4" Posts (3 1/2" to 4")

## Sharp Point Self Tapping Timber Screws #12 x 1-1/4 Torx HD





## 2"x 4" Rail Saddle

Item #: 56641 (2X4-TR)

### Kit Includes:

- ① 2 Rail Saddles
- ② 12 #12 x 1-1/4 Torx HD (T25)



Post Base installation in concrete, use a 1/4" bolt through the center base hole.



G-PC

ACQ

CRC



250 lbs  
113 kg









## 4"x4" Post Base




Plus (2) 2x4 Saddles  
Item #: 51730 (4X4-TRS-IW)

### Kit Includes:

- 1 1 Base Plate
- 2 2 Rail Saddle Plates
- 3 2 Standard Plates
- 4 6 Hex Cap Nuts
- 5 6 1 $\frac{3}{4}$ " OWT Timber Screws
- 6 12 #12 x 1- $\frac{1}{4}$  Torx HD (T25)



4.18 lbs 1.90 kg



Adjustable To Fit All Standard 4"x 4" Posts (3 $\frac{1}{2}$ " to 4")

## 4"x4" Post Base




Plus (2) 2x4 Saddles  
Item #: 56630 (4X4-TRS-LS)

### Kit Includes:

- 1 1 Base Plate
- 2 2 Rail Saddle Plates
- 3 2 Standard Plates
- 4 6 Hex Cap Nuts
- 5 6 1 $\frac{3}{4}$ " OWT Timber Screws
- 6 12 #12 x 1- $\frac{1}{4}$  Torx HD (T25)



4.6 lbs 2.08 kg



Adjustable To Fit All Standard 4"x 4" Posts (3 $\frac{1}{2}$ " to 4")

## 4"x4" Post Base




Plus (1) 2x4 Saddle  
Item #: 51731 (4X4-SRS-IW)

### Kit Includes:

- 1 1 Base Plate
- 2 1 Rail Saddle Plate
- 3 3 Standard Plates
- 4 7 Hex Cap Nuts
- 5 7 1 $\frac{3}{4}$ " OWT Timber Screws
- 6 6 #12 x 1- $\frac{1}{4}$  Torx HD (T25)



3.9 lbs 1.78 kg



Adjustable To Fit All Standard 4"x 4" Posts (3 $\frac{1}{2}$ " to 4")

## 4"x4" Post Base




Plus (1) 2x4 Saddle  
Item #: 56631 (4X4-SRS-LS)

### Kit Includes:

- 1 1 Base Plate
- 2 1 Rail Saddle Plate
- 3 3 Standard Plates
- 4 7 Hex Cap Nuts
- 5 7 1 $\frac{3}{4}$ " OWT Timber Screws
- 6 6 #12 x 1- $\frac{1}{4}$  Torx HD (T25)



4.3 lbs 1.95 kg



Adjustable To Fit All Standard 4"x 4" Posts (3 $\frac{1}{2}$ " to 4")



G-PC

ACQ

CRC



250 lbs  
113 kg



.20"  
5mm



# Project #304 — Pergola Deck







## 4x4 Post Base Kit

*Easy to install, good quality product. Have had many inquiries about the product plus compliments. Will use again.*

Jason ~ LaVergne, TN

### 4x4 Faux Post Base Plates



IW

Item #: 51789 (4X4-FPB-IW)

#### Kit Includes:

- 1 4 4x4 Decorative Plates
- 2 8 Hex Cap Nuts
- 3 8 1 3/4" OWT Timber Screws

7.44 lbs 3.37 kg



### 4x4 Faux Post Base Plates



LS

Item #: 56689 (4X4-FPB-LS)

#### Kit Includes:

- 1 4 4x4 Decorative Plates
- 2 8 Hex Cap Nuts
- 3 8 1 3/4" OWT Timber Screws

7.44 lbs 3.37 kg



Faux Post Base kits work great on deck posts and are easy to install or retrofit onto existing posts.



Scan to Watch This Product's Video



G-PC

ACQ

CRC



.20" 5mm









**Looking For Truss Ties, Fans & Angles?** Here are the pages you can find them on.




pages 16-19, 60-63




pages 60-63



pages 68-73



pages 54-57



page 59

## 4"x 6" Post Base Kit

Item #: 56604 (4X6-PB-LS)



### Kit Includes:

- 1 Post Base Plate
- 2 6" Decorative Plates
- 2 4" Decorative Plates
- 8 Hex Cap Nuts
- 8 2 3/4" OWT Timber Screws

7.91 lbs 3.58 kg

LS

4



Adjustable To Fit All Standard 4"x 6" Posts (3 1/2" to 4" x 5 1/2" to 6")

## 6"x 6" Post Base Kit

Item #: 51708 (6X6-PB-IW)



### Kit Includes:

- 1 Post Base Plate
- 4 Decorative Plates
- 8 Hex Cap Nuts
- 8 2 3/4" OWT Timber Screws

10 lbs 4.58 kg

IW

4



Adjustable To Fit All Standard 6"x 6" Posts (5 1/2" to 6")

## 6"x 6" Post Base Kit

Item #: 56608 (6X6-PB-LS)



### Kit Includes:

- 1 Post Base Plate
- 4 Decorative Plates
- 8 Hex Cap Nuts
- 8 2 3/4" OWT Timber Screws

10 lbs 4.58 kg

LS

4



Adjustable To Fit All Standard 6"x 6" Posts (5 1/2" to 6")



Post Base installation in concrete, use a 1/4" bolt through the center base hole.



Scan to Watch This Product's Video



G-PC

ACQ

CRC







**Project #342**





## 6"x6" Post Base

Plus (2) 2x4 Saddles



Item #: 51772 (6X6-TRS-IW)

### Kit Includes:

- 1 Base Plate
- 2 Rail Saddle Plates
- 2 Standard Plates
- 8 Hex Cap Nuts
- 8 2 3/4" OWT Timber Screws
- 12 #12 x 1-1/4 Torx HD (T25)



10.10 lbs 4.58 kg



Adjustable To Fit All Standard 6"x 6" Posts (5 1/2" to 6")

## 6"x6" Post Base

Plus (2) 2x4 Saddles


Item #: 56672 (6X6-TRS-LS)

### Kit Includes:

- 1 Base Plate
- 2 Rail Saddle Plates
- 2 Standard Plates
- 8 Hex Cap Nuts
- 8 2 3/4" OWT Timber Screws
- 12 #12 x 1-1/4 Torx HD (T25)



9.34 lbs 4.24 kg



Adjustable To Fit All Standard 6"x 6" Posts (5 1/2" to 6")

## 6"x6" Post Base

Plus (1) 2x4 Saddle


Item #: 51771 (6X6-SRS-IW)

### Kit Includes:

- 1 Base Plate
- 1 Rail Saddle Plate
- 3 Standard Plates
- 8 Hex Cap Nuts
- 8 2 3/4" OWT Timber Screws
- 6 #12 x 1-1/4 Torx HD (T25)



10.10 lbs 4.58 kg



Adjustable To Fit All Standard 6"x 6" Posts (5 1/2" to 6")

## 6"x6" Post Base

Plus (1) 2x4 Saddle


Item #: 56671 (6X6-SRS-LS)

### Kit Includes:

- 1 Base Plate
- 1 Rail Saddle Plate
- 3 Standard Plates
- 8 Hex Cap Nuts
- 8 2 3/4" OWT Timber Screws
- 6 #12 x 1-1/4 Torx HD (T25)



10.10 lbs 4.58 kg



Adjustable To Fit All Standard 6"x 6" Posts (5 1/2" to 6")



G-PC

ACQ

CRC







Project #567






## 8"x 8" Post Base Kit

Item #: 51709 (8X8-PB-IW)

### Kit Includes:

- 1 Post Base Plate
- 4 Decorative Plates
- 8 Hex Cap Nuts
- 8 3/4" OWT Timber Screws

15.8 lbs 7.16 kg .20" 5mm 250 lbs 113 kg



Adjustable To Fit All Standard 8"x 8" Posts (7 1/2" to 8")



## 8"x 8" Post Base Kit

Item #: 56609 (8X8-PB-LS)

### Kit Includes:

- 1 Post Base Plate
- 4 Decorative Plates
- 8 Hex Cap Nuts
- 8 3/4" OWT Timber Screws

15.8 lbs 7.16 kg .20" 5mm 250 lbs 113 kg



Adjustable To Fit All Standard 8"x 8" Posts (7 1/2" to 8")



## 10"x 10" Post Base Kit

Item #: 51705 (10X10-PB-IW)

### Kit Includes:

- 1 Post Base Plate
- 4 Decorative Plates
- 16 Hex Cap Nuts
- 16 3/4" OWT Timber Screws

24.75 lbs 11.22 kg .20" 5mm 250 lbs 113 kg



Adjustable To Fit All Standard 10"x 10" Posts (9 1/2" to 10")



## 10"x 10" Post Base Kit

Item #: 56605 (10X10-PB-LS)

### Kit Includes:

- 1 Post Base Plate
- 4 Decorative Plates
- 16 Hex Cap Nuts
- 16 3/4" OWT Timber Screws

24.75 lbs 11.22 kg .20" 5mm 250 lbs 113 kg



Adjustable To Fit All Standard 10"x 10" Posts (9 1/2" to 10")



Post Base installation in concrete, use a 7/16" bolt through the center base hole.



Scan to Watch This Product's Video



G-PC


ACQ

CRC



.20" 5mm







## 6x6 Faux Post Base Plates



**IW**

Item #: 51790 (6X6-FPB-IW)

### Kit Includes:

- ① 4 6x6 Decorative Plates
- ② 8 Hex Cap Nuts
- ③ 8 1 3/4" OWT Timber Screws

7.44 lbs 3.37 kg



## 6x6 Faux Post Base Plates



**LS**

Item #: 56690 (6X6-FPB-LS)

### Kit Includes:

- ① 4 6x6 Decorative Plates
- ② 8 Hex Cap Nuts
- ③ 8 1 3/4" OWT Timber Screws

7.44 lbs 3.37 kg



## 8x8 Faux Post Base Plates



**IW**

Item #: 51791 (8X8-FPB-IW)

### Kit Includes:

- ① 4 8x8 Decorative Plates
- ② 8 Hex Cap Nuts
- ③ 8 1 3/4" OWT Timber Screws

11.54 lbs 5.23 kg



## 8x8 Faux Post Base Plates



**LS**

Item #: 56691 (8X8-FPB-LS)

### Kit Includes:

- ① 4 8x8 Decorative Plates
- ② 8 Hex Cap Nuts
- ③ 8 1 3/4" OWT Timber Screws

11.54 lbs 5.23 kg



Faux Post Base kits work great on deck posts and are easy to install or retrofit onto existing posts.



Scan to Watch This Product's Video



G-PC

ACQ

CRC



.20" 5mm






## Wine Glass Holder

Item #: 57703 (HA-WGH)

### Kit Includes:

- ① 1 Wine Glass Holder
- ② 2 1/4"-20 Button Head Screws

.35 lbs .16 kg 10





## 4"x 4" Post Band

Item #: 51783 (4X4-BND-IW)

IW

### Kit Includes:



- ① 1 4x4 Clamp Assembly
- ② 4 Screws, ¼"-20x1½, Stainless Steel
- ③ 8 Plug, Metal Round for ¼" hole

1.85 lbs .84 kg 7 .20" 5mm

Adjustable To Fit All Standard 4"x 4" Posts (3½" to 4")

### Single BULK 8pcs

Item #: 11783-1 (4-IW-BND-B)



## 6"x 6" Post Band

Item #: 51786 (6x6-BND-IW)

IW

### Kit Includes:


- ① 1 6x6 Clamp Assembly
- ② 4 Screws, ¼"-20x1½, Stainless Steel
- ③ 8 Plug, Metal Round for ¼" hole

2.34 lbs 1.06 kg 7 .20" 5mm

Adjustable To Fit All Standard 6"x 6" Posts (5½" to 6")

### Single BULK 8pcs

Item #: 11786-1 (6-IW-BND-B)



## 8"x 8" Post Band

Item #: 51787 (8X8-BND-IW)

IW

### Kit Includes:



- ① 1 8x8 Clamp Assembly
- ② 4 Screws, ¼"-20x1½, Stainless Steel
- ③ 8 Plug, Metal Round for ¼" hole

2.8 lbs 1.27 kg 7 .20" 5mm

Adjustable To Fit All Standard 8"x 8" Posts (7½" to 8")

### Single BULK 8pcs

Item #: 11787-1 (8-IW-BND-B)




## Plant Hanger

Item #: 57704 (HA-PH)

### Kit Includes:

- ① 2 Plant Hanger
- ② 4 1/4"-20 Button Head Screws



.83 lbs .38 kg 10







Project #630






## Wine Bottle Holder

Item #: 57705 (HA-WBH)

### Kit Includes:

- ① 1 Wine Bottle Holder
- ② 1 Cap & Wick
- ③ 4 1/4"-20 Button Head Screws

2.43 lbs 1.10 kg 10




## Shackle

Item #: 57706 (HA-SHK)

### Kit Includes:

- ① 2 Shackles
- ② 4 1/4"-20 Button Head Screws

.29 lbs .13 kg 20




## Can / Cell Phone Holder

Item #: 57707 (HA-DCH)

### Kit Includes:

- ① 1 Can / Cell Holder
- ② 2 1/4"-20 Button Head Screws

.85 lbs .39 kg 8





## Towel Hook

Item #: 57708 (HA-TH)

### Kit Includes:

- ① 2 Towel Hook
- ② 4 1/4"-20 Button Head Screws

.27 lbs .12 kg 20

















## 4"x 4" Column Cap

Item #: 51778 (4X4-CAP-IW)

**IW**




### Kit Includes:

- ① 4 Plates
- ② 1 Base Plate
- ③ 6 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)
- ④ 8 Hex Cap Nuts
- ⑤ 8 1 ¾" OWT Timber Screws

3.64 lbs 1.65 kg



Can be used with Two 2X's or a Full 4X piece of lumber and can be adjusted from 3" up to 4".



## 4"x 4" Column Cap

Item #: 56678 (4X4-CAP-LS)

**LS**




### Kit Includes:

- ① 4 Plates
- ② 1 Base Plate
- ③ 6 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)
- ④ 8 Hex Cap Nuts
- ⑤ 8 1 ¾" OWT Timber Screws

3.57 lbs 1.62 kg



Can be used with Two 2X's or a Full 4X piece of lumber and can be adjusted from 3" up to 4".



## 6"x 6" Column Cap

Item #: 51779 (6X6-CAP-IW)

**IW**



### Kit Includes:

- ① 4 Plates
- ② 1 Base Plate
- ③ 6 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)
- ④ 8 Hex Cap Nuts
- ⑤ 8 1 ¾" OWT Timber Screws

5.91 lbs 2.68 kg



Can be used with Three 2X's or a Full 6X piece of lumber and can be adjusted from 4½" up to 6".



## 6"x 6" Column Cap

Item #: 56679 (6X6-CAP-LS)

**LS**



### Kit Includes:

- ① 4 Plates
- ② 1 Base Plate
- ③ 6 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)
- ④ 8 Hex Cap Nuts
- ⑤ 8 1 ¾" OWT Timber Screws

5.61 lbs 2.55 kg



Can be used with Three 2X's or a Full 6X piece of lumber and can be adjusted from 4½" up to 6".



G-PC

ACQ

CRC

¾"

3/4"





## ❖❖ OZCO Post to Beams

*Excellent quality, strong & beautiful finishing touch! ❖❖*

John W. ~ Verified Buyer



### 2" Standard Rafter Clip

Item #: 56617 (RC-LS-2)

Rafter clips are a fantastic product and never easier to install using the unique "diamond eye" locating cutout. [See Page 49](#)



**Project #296**



## 4" Post to Beam

Item #: 51775 (P2B-IW-4)

**IW**

### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 8 Hex Cap Nuts
- 4 4 1 3/4" OWT Timber Screws
- 5 4 3 3/4" OWT Timber Screws



1/2" 3mm

2.49 lbs

1.13 kg



Adjustable To Fit All Standard 2" Boards (1.45" to 2")



## 4" Post to Beam

Item #: 56675 (P2B-LS-4)

**LS**



### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 8 Hex Cap Nuts
- 4 4 1 3/4" OWT Timber Screws
- 5 4 3 3/4" OWT Timber Screws

1/2" 3mm



Adjustable To Fit All Standard 2" Boards (1 1/2" to 1 7/8")



## 6" Post to Beam

Item #: 51735 (P2B-IW-6)

**IW**

### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 8 Hex Cap Nuts
- 4 4 3 3/4" OWT Timber Screws
- 5 4 2 3/4" OWT Timber Screws


1/2" 5mm

6.7 lbs

3.04 kg



Adjustable To Fit All Standard 2" Boards (1.45" to 2")



## 6" Post to Beam

Item #: 56635 (P2B-LS-6)

**LS**




### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 8 Hex Cap Nuts
- 4 4 3 3/4" OWT Timber Screws
- 5 4 2 3/4" OWT Timber Screws

1/2" 5mm



Adjustable To Fit All Standard 2" Boards (1 1/2" to 1 7/8")



Some Post to Beams require the patented technology of the OWT Timber Bolts for proper installation, see page 76-81.



G-PC

ACQ

CRC


9/4









## OWT Timber Bolts Typical Installation Options Post To Beams




**Bolt Offset**



**Bolt Inline**




**Flush**




**Coupler**


## OWT Timber Screws Typical Installation Options Post To Beams & Hex Cap Nuts




**4"**




**6"**



**8"**



**Flush**



**Coupler**

The Post to Beams (see pages 37–41) are designed to accommodate the OWT Timber Bolts or Timber Screws when connecting the top plate. The Hex Cap Nuts & Screws included are for the 2 bottom plates. **The Timber Screws, Hex Cap Nuts and OWT Timber Bolts are All SOLD SEPARATELY** to allow for varying size lumber depending on your particular project needs. OWT Timber Bolts are adjustable up to 2 inches, range in size from 1½-4" up to 10-12". See pages 70-79 for all available fasteners and lengths.



## Bolt Offset



Item #: 51736 (P2B-BO-IW)

### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Plates, 1 Bolt Offset & 1 Inline
- 3 4 Hex Cap Nuts
- 4 4 2¾" OWT Timber Screws

7.8 lbs 3.53 kg

Adjustable To Fit All Standard 2" Boards (1.45" to 2")



## Bolt Offset



Item #: 56636 (P2B-BO-LS)

### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Plates, 1 Bolt Offset & 1 Inline
- 3 4 Hex Cap Nuts
- 4 4 2¾" OWT Timber Screws

7.8 lbs 3.53 kg

Adjustable To Fit All Standard 2" Boards (1½" to 1¾")



**ADDITIONAL Timber Bolts or Screws Are REQUIRED & SOLD SEPARATELY**

See Pages 70-79 for all available lengths.

## Bolt Inline



Item #: 51737 (P2B-BI-IW)

### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Plates, Bolt Inline
- 3 4 Hex Cap Nuts
- 4 4 2¾" OWT Timber Screws

7.8 lbs 3.53 kg

Adjustable To Fit All Standard 2" Boards (1.45" to 2")



## Bolt Inline




Item #: 56637 (P2B-BI-LS)

### Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Plates, Bolt Inline
- 3 4 Hex Cap Nuts
- 4 4 2¾" OWT Timber Screws

7.8 lbs 3.53 kg

Adjustable To Fit All Standard 2" Boards (1½" to 1¾")



**OWT Timber Bolts or Screws**  
Are **REQUIRED** and **SOLD SEPARATELY**.  
See pages 76-85 for all available lengths.



G-PC

ACQ

CRC

¾"

¾"

¾"

.20"  
5mm



## 8" Post to Beam

Item #: 51710 (P2B-IW-8)

IW

### Kit Includes:



- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 8 Hex Cap Nuts
- 4 4 3 $\frac{3}{4}$ " OWT Timber Screws
- 5 4 2 $\frac{3}{4}$ " OWT Timber Screws

7.8 lbs

3.53 kg



Adjustable To Fit All Standard 2" Boards (1.45" to 2")



## 8" Post to Beam

Item #: 56610 (P2B-LS-8)

LS

### Kit Includes:



- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 8 Hex Cap Nuts
- 4 4 3 $\frac{3}{4}$ " OWT Timber Screws
- 5 4 2 $\frac{3}{4}$ " OWT Timber Screws

7.8 lbs

3.53 kg



Adjustable To Fit All Standard 2" Boards (1 $\frac{1}{2}$ " to 1 $\frac{7}{8}$ ")



## Post to Beam - Amazing

What a nice way to finish off my deck and pergola with these ties. Not only are they a nice accent but they aide in the installation of the beams. Robert A. ~ Verified Buyer





## 8" Post to Beam Flush

Item #: 51776 (P2B-IW-8F)

Kit Includes:

- 1 2 Post Beam Plates
- 2 4 Hex Cap Nuts
- 3 4 3/4" OWT Timber Screws

6.38 lbs 2.89 kg





## 8" Post to Beam Flush

Item #: 56676 (P2B-LS-8F)

Kit Includes:

- 1 2 Post Beam Plates
- 2 4 Hex Cap Nuts
- 3 4 3/4" OWT Timber Screws

6.38 lbs 2.89 kg



**ADDITIONAL Timber Bolts or Screws Are REQUIRED & SOLD SEPARATELY**

See Pages 70-79 for all available lengths.



## 8" Post to Beam Coupler

Item #: 51777 (P2B-SB-IW)



Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 4 Hex Cap Nuts
- 4 4 2 3/4" OWT Timber Screws

7.54 lbs 3.42 kg



Adjustable To Fit All Standard 2" Boards (1.45" to 2")



## 8" Post to Beam Coupler

Item #: 56677 (P2B-SB-LS)



Kit Includes:

- 1 2 Post Ledge Bases
- 2 2 Top Cover Plates
- 3 4 Hex Cap Nuts
- 4 4 2 3/4" OWT Timber Screws

7.54 lbs 3.42 kg



Adjustable To Fit All Standard 2" Boards (1 1/2" to 1 3/4")



**OWT Timber Bolts or Screws**  
Are **REQUIRED** and **SOLD SEPARATELY**.  
See pages 76-85 for all available lengths.



G-PC

ACQ

CRC

3/4"

3/4"

3/4"

.20" 5mm



## 6-8" Joist Hanger Flush

Item #: 51739 (JHF-68-IW)


IW

### Kit Includes:

- ① 6 Hanger Connections
- ② 54 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)

3.9 lbs 1.77 kg .0625" 1.6mm 7

Adjustable To Fit All Standard 2" Boards (1.45" to 2")



QTY 6 pcs

## 6-8" Joist Hanger Flush

Item #: 56639 (JHF-68-LS)


LS

### Kit Includes:

- ① 6 Hanger Connections
- ② 54 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)

3.9 lbs 1.77 kg .0625" 1.6mm 7

Adjustable To Fit All Standard 2" Boards (1½" to 1⅞")



QTY 6 pcs



## Joist Hangers Just what I needed!

I'm so happy I found these fasteners for our pergola. I was searching online for something with a little more panache than galvanized hangers and fasteners and I found these. They're heavy duty, easy to assemble and they increase the value and look of our pergola. I couldn't be happier to have these attached to our house. Gary S. ~ Verified Buyer





## 6" Beam Hanger

Item #: 51714 (6-BH-IW)


**IW**

### Kit Includes:


- ① 2 Hanger Connections
- ② 56 2¾" OWT Timber Screws
- ③ 12 Hex Cap Nuts

10.25 lbs 4.65 kg .12" 3mm 2

Adjustable To Fit All Standard 6" Boards (5.5" to 6")



QTY  
**2**  
pcs



## 6" Beam Hanger

Item #: 57714 (6-BH-LS)


**LS**

### Kit Includes:


- ① 2 Hanger Connections
- ② 56 2¾" OWT Timber Screws
- ③ 12 Hex Cap Nuts

10.25 lbs 4.65 kg .12" 3mm 2

Adjustable To Fit All Standard 6" Boards (5.5" to 6")



QTY  
**2**  
pcs



## 6-8" Beam Hanger Flush

Item #: 51769 (BHF-68-IW)


**IW**

### Kit Includes:


- ① 4 Hanger Connections
- ② 40 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)
- ③ 16 Hex Cap Nuts
- ④ 64 1¾" OWT Timber Screws

12.32 lbs 5.58 kg .12" 3mm 3/4 4

Adjustable To Fit All Standard 4" Boards (3½" to 4")



QTY  
**4**  
pcs



## 6-8" Beam Hanger Flush

Item #: 56669 (BHF-68-LS)


**LS**

### Kit Includes:


- ① 4 Hanger Connections
- ② 40 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)
- ③ 16 Hex Cap Nuts
- ④ 64 1¾" OWT Timber Screws

.12" 3mm 3/4 4

Adjustable To Fit All Standard 4" Boards (3½" to 3¾")



QTY  
**4**  
pcs




Testing Reports, Instructions  
& More Detail Specs

Visit the **OZCO** website  
OZCOBuildingProducts.com









## 6-8" Joist Hanger Tab

Item #: 51740 (JHT-68-IW)

### Kit Includes:


- ① 6 Hanger Connections
- ② 60 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)

4.2 lbs 1.9 kg



Adjustable To Fit All Standard 2" Boards (1.45" to 2")

IW



QTY 6 pcs



## 6-8" Joist Hanger Tab

Item #: 56640 (JHT-68-LS)


### Kit Includes:

- ① 6 Hanger Connections
- ② 60 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)



Adjustable To Fit All Standard 2" Boards (1½" to 1⅞")

LS



QTY 6 pcs



## 8-10" Joist Hanger Flush

Item #: 51770 (JHF-810-IW)

### Kit Includes:


- ① 4 Hanger Connections
- ② 76 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)

4.04 lbs 1.83 kg




Adjustable To Fit All Standard 2" Boards (1.45" to 2")

IW



QTY 4 pcs



## 8-10" Joist Hanger Flush

Item #: 56670 (JHF-810-LS)

### Kit Includes:


- ① 4 Hanger Connections
- ② 76 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)

4.04 lbs 1.83 kg




Adjustable To Fit All Standard 2" Boards (1½" to 1⅞")

LS



QTY 4 pcs



- Requires a ¼" hex driver bit
- Exclusive high friction design
- No pre-drilling required




.0625" 1.6mm





Project #309

RAFTER CREATE  
SEAMS curve APPEAL





The OWT Rafter Seam™ is a specialty connector that is the first of its kind. Although it is useful for many types of connections one of the most common is to join rafters for curved top pergolas. A curved top structure is a real conversation piece, but conventional construction techniques have major limitations.

So how does it work? Start by cutting the rafters into the shape that you would like. Position the two boards tightly together, then position Rafter Seam™, using our stamped hash marks to align the seam. Install screws on both sides of the joint. Then tighten the bolt to snug the two pieces together. Repeat this process for the other side of the rafter with the bolt facing the opposite direction.



### Rafter Seam


Item #: 51793 (RS-IW)

**IW**


#### Kit Includes:

- ① 2 Assembly Plate
- ② 16 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)
- ③ 2 Tension Bolt
- ④ 2 Assembly Base

2.22 lbs 1.01 kg 11



QTY  
**2**  
pcs



### Rafter Seam


Item #: 56693 (RS-LS)

**LS**


#### Kit Includes:

- ① 2 Assembly Plate
- ② 16 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)
- ③ 2 Tension Bolt
- ④ 2 Assembly Base


2.01 lbs .91 kg 11



QTY  
**2**  
pcs







## 2" Rafter Clips, Post Bases

We recently installed a new arbor/patio cover in our back yard. We heard about the OZCO line through a friend and thought we would try it out. We were on the fence about trying it due to the added costs, but we decided to add them to our patio based on good reviews from some past clients. Adding these to our patio was the **BEST** decision we made! They took our patio from "nice" to "amazing" and a real show-stopper. Not only do they add reinforced structure, but they look great and really add an extra touch to take your patio to the next level. We've already received so many compliments and I would highly recommend investing in the parts when you build your patio. The hardware looks great and we could not be happier. 🌟🌟

~ Online Customer

### 2" High Velocity Rafter Clips



Item #: 51738 (RC-IW-HV-2)

LS

#### Kit Includes:

- ① 10 2" Rafter Clips
- ② 60 OWT-Lock #12 x 1-¼ Hex HD Sharp Point (¼" Hex)

2.6 lbs 1.18 kg 8









**new**

- Requires a 1/4" hex driver bit
- Exclusive high friction design
- No pre-drilling required

1/4" Driver Bit Required



## 2" Standard Rafter Clips

Item #: 51717 (RC-IW-2) 10pk


Item #: 41717-1 (RC-2-IW-2PK) 2pk

10 Pack Kit Includes:

- 1 10 2" Rafter Clips
- 2 20 OWT-Lock #12 x 1-1/4 Hex HD Sharp Point (1/4" Hex)

1.96 lbs .86 kg 8

**IW**



QTY  
**10**  
pcs



Single BULK 100 pcs

Item #: 11717-1 (RC-IW-B)

## 2" Standard Rafter Clips

Item #: 56617 (RC-LS-2) 10pk


Item #: 46617-1 (RC-LS-2PK) 2pk

Kit Includes:


- 1 10 2" Rafter Clips
- 2 20 OWT-Lock #12 x 1-1/4 Hex HD Sharp Point (1/4" Hex)

1.96 lbs .86 kg 8

**LS**



QTY  
**10**  
pcs



Single BULK 100 pcs

Item #: 16617 (RC-LS-B)

## 2" High Velocity Rafter Clips


Item #: 56638 (RC-LS-HV-2)

Kit Includes:


- 1 10 2" Rafter Clips
- 2 60 OWT-Lock #12 x 1-1/4 Hex HD Sharp Point (1/4" Hex)

2.6 lbs 1.18 kg 8

**LS**



QTY  
**10**  
pcs



Looking for more angle brackets?  
Find Inside 90°, 45° & more all on  
pages 58-63.



Scan to Watch This Product's Video







Project #317





## 4" Standard Rafter Clips




Item #: 51718 (RC-IW-4) 10pk

Item #: 41718-1 (RC-IW-4-2PK) 2pk

10 Pack Kit Includes:



- 1 10 4" Rafter Clips
- 2 60 OWT-Lock #12 x 1-1/4 Hex HD Sharp Point (1/4" Hex)
- 3 20 Hex Cap Nuts
- 4 20 1 3/4" OWT Timber Screws



## 4" Standard Rafter Clips




Item #: 56618 (RC-LS-4) 10pk

Item #: 46618-1 (RC-LS-4-2PK) 2pk

10 Pack Kit Includes:



- 1 10 4" Rafter Clips
- 2 60 OWT-Lock #12 x 1-1/4 Hex HD Sharp Point (1/4" Hex)
- 3 20 Hex Cap Nuts
- 4 20 1 3/4" OWT Timber Screws





## 4" Flush Inside 45°

Item #: 51768 (FI45-IW-4)

Kit Includes:



- 1 4 Flush Inside 45° Plates
- 2 8 1 3/4" OWT Timber Screws
- 3 8 Hex Cap Nuts
- 4 24 OWT-Lock #12 x 1-1/4 Hex HD Sharp Point (1/4" Hex)





## 4" Flush Inside 45°

Item #: 56668 (FI45-LS-4)

Kit Includes:



- 1 4 Flush Inside 45° Plates
- 2 8 1 3/4" OWT Timber Screws
- 3 8 Hex Cap Nuts
- 4 24 OWT-Lock #12 x 1-1/4 Hex HD Sharp Point (1/4" Hex)




Looking for more angle brackets?  
Find Inside 90°, 45° & more all on  
pages 58-63.





## Truss Accents & Ties

### How They Work



Testing Reports, Instructions  
& More Detail Specs

Visit us online at [OZCObp.com](http://OZCObp.com)

Truss Ties, Fans & Accents all have corresponding fastener holes and slots for locking tabs for quick installation.



The Quantity of Truss Accent Kits (51711 or 56611) **REQUIRED** for products in the above categories are indicated by the Number inside this Icon.

Ironwood Style of Truss Accent installed using Timber Screws (sold separately) and the included Hex Cap Nuts

Laredo Sunset Style of Truss Accent installed using OWT Timber Bolts (sold separately)

### Truss Accent

Each Sold Separately (see opposite)

| Style         | Item # Description      |
|---------------|-------------------------|
| Laredo Sunset | 56611 (TA-LS) <b>LS</b> |
| Ironwood      | 51711 (TA-IW) <b>IW</b> |

**IMPORTANT:** Each **SOLD SEPARATELY** OWT Timber Bolts, Timber Screws and/or Hex Cap Nuts are **REQUIRED** for proper installation.

### Fastening Options

Each Sold Separately (see pages 84–85)


| Timber Screws | Item # Description |
|---------------|--------------------|
| 1¾" (45mm)    | 56625 (OWT175)     |
| 2¾" (70mm)    | 56626 (OWT275)     |
| 3¾" (95mm)    | 56627 (OWT375)     |
| 5¾" (145mm)   | 56628 (OWT575)     |
| 7½" (190mm)   | 56629 (OWT750)     |
| 10" (254mm)   | 56647 (OWT10)      |
| 12" (304mm)   | 56648 (OWT12)      |

### Timber Bolt Options

Each Sold Separately (see pages 84–85)

| Timber Bolts       | Item # Description |
|--------------------|--------------------|
| 1½-4" (38-101mm)   | 56673 (BOLT 1.5-6) |
| 4-6" (101-152mm)   | 56649 (BOLT 4-6)   |
| 6-8" (152-203mm)   | 56650 (BOLT 6-8)   |
| 8-10" (203-254mm)  | 56651 (BOLT 8-10)  |
| 10-12" (254-304mm) | 56652 (BOLT 10-12) |





## Truss Accent


Item #: 51711 (TA-IW)

IW


### Kit Includes:

- 1 2 Truss Accent Plates
- 2 4 Hex Cap Nuts

3.4 lbs 1.54 kg



QTY  
2  
pcs



Ø.31" (8mm) Ø.40" (10mm)

## Truss Accent


Item #: 56611 (TA-LS)

LS


### Kit Includes:

- 1 2 Truss Accent Plates
- 2 4 Hex Cap Nuts


3.4 lbs 1.54 kg



QTY  
2  
pcs



Ø.31" (8mm) Ø.40" (10mm)



OWT Timber Bolts or Screws  
Are **REQUIRED** and **SOLD SEPARATELY**.  
See pages 76-85 for all available lengths.



Scan to Watch This Product's Video

G-PC

ACQ

CRC



.20" 5mm





### ❖❖ Inside Flush 45

*Inside Flush 45 on My Outdoor grilling station / bar. I love the finish look it gave to my project. ❖❖*

Peter D. ~ Verified Buyer



Project #505





## 90° Flush Inside

Item #: 56615 (FI-90)




### Includes:

2 Flush Inside 90 Deg. Plates

6.7 lbs 3.04 kg 12

OWT Truss Accents, Hex Cap Nuts, Timber Screws & Bolts **SOLD SEPARATELY.**



## 45° Flush Inside

Item #: 56616 (FI-45)




### Includes:

2 Flush Inside 45 Deg. Plates

3.1 lbs 1.4 kg 12

OWT Truss Accents, Hex Cap Nuts, Timber Screws & Bolts **SOLD SEPARATELY.**



## "T" Tie Plate

Item #: 56612 (TTP)





### Includes:

2 "T" Tie Plates

7.9 lbs 3.58 kg 6

OWT Truss Accents, Hex Cap Nuts, Timber Screws & Bolts **SOLD SEPARATELY.**



## "T" Tie Plate Extended

Item #: 57712 (TTP-EXT)




### Includes:

2 "T" Tie Extended Plates

9.24 lbs 4.19 kg 6

OWT Truss Accents, Hex Cap Nuts, Timber Screws & Bolts **SOLD SEPARATELY.**



Testing Reports, Instructions & More Detail Specs

Visit us online at [OZCObp.com](http://OZCObp.com)



Scan to Watch This Product's Video







## Large Outside 90°

Item #: 57713 (LRG-FO90)

### Includes:



1 Large Outside Plate

14 lbs 6.4 kg



QTY  
2  
pcs

Timber Bolts, Timber Screws & Accessories **ALL SOLD SEPARATELY.**



## 90° Flush Outside

Item #: 56614 (FO-90)

### Includes:


2 Flush Outside Plates

6.2 lbs 3.3 kg



QTY  
2  
pcs

Timber Bolts, Timber Screws & Accessories **ALL SOLD SEPARATELY.**



## Butt Joint Flush

Item #: 56613 (BJF)

### Includes:



2 Butt Joint Plates

2.4 lbs 1.09 kg



QTY  
2  
pcs

OWT Truss Accents, Hex Cap Nuts, Timber Screws & Bolts **SOLD SEPARATELY.**



Scan to Watch This Product's Video



The number of Truss Accent (LS or IW) kits are indicated by the Diamond Icon & Number, kits **SOLD SEPARATELY** see page 58.



G-PC

ACQ

CRC



.20"  
5mm





## Great Truss System

*I used the Truss Fan Base with Ironwood Truss Accents and 1/2" Timber Bolts to make trusses for a car port. These product made this project so much easier and look great. The fan base is both strong and good looking. The accent pieces give the trusses a finished look. The powder coat finish on all the parts should look good for a long time. ♡ ♡*

Doug A. ~ Verified Buyer











**Project #895**





# Project #210 — Pavilion















## 8:12 Truss Base Fan

Item #: 56619 (TBF-8-12)





Includes:

1 Truss Base Fan - 8:12

14.1 lbs 6.39 kg 4

OWT Truss Accents, Hex Cap Nuts, Timber Screws & Bolts **SOLD SEPARATELY.**



## 10:12 Truss Base Fan

Item #: 56620 (TBF-10-12)





Includes:

1 Truss Base Fan - 10:12

14.1 lbs 6.39 kg 4

OWT Truss Accents, Hex Cap Nuts, Timber Screws & Bolts **SOLD SEPARATELY.**



## 12:12 Truss Base Fan

Item #: 56644 (TBF-12-12)






Includes:

1 Truss Base Fan - 12:12

14.1 lbs 6.39 kg 4

OWT Truss Accents, Hex Cap Nuts, Timber Screws & Bolts **SOLD SEPARATELY.**



The number of Truss Accents (IW or LS) kits are indicated by the Diamond Icon & Number, kits **SOLD SEPARATELY** see page 58.



Scan to Watch This Product's Video



G-PC

ACQ


CRC




.20" 5mm



## Truss Base Fan Cuts King and Web




Truss Accent (Laredo Sunset Shown)




(For Cut Lengths See Truss Calculators)

Shown From Back Viewpoint






| Beam (in) | King Post (in) | Rafter (in) | Web (in) |
|-----------|----------------|-------------|----------|
| 138       | 44.70          | 79.95       | 35.94    |
| 139       | 45.04          | 80.55       | 36.22    |
| 140       | 45.38          | 81.15       | 36.50    |
| 141       | 45.71          | 81.76       | 36.78    |
| 142       | 46.05          | 82.36       | 37.06    |
| 143       | 46.39          | 82.96       | 37.34    |
| 144       | 46.73          | 83.56       | 37.62    |
| 145       | 47.06          | 84.17       | 37.90    |
| 146       | 47.40          | 84.77       | 38.18    |
| 147       | 47.74          | 85.37       | 38.46    |
| 148       | 48.07          | 85.98       | 38.74    |
| 149       | 48.41          | 86.58       | 39.02    |
| 150       | 48.75          | 87.18       | 39.30    |
| 151       | 49.09          | 87.78       | 39.58    |
| 152       | 49.42          | 88.39       | 39.86    |
| 153       | 49.76          | 88.99       | 40.14    |
| 154       | 50.10          | 89.59       | 40.42    |
| 155       | 50.43          | 90.20       | 40.70    |
| 156       | 50.77          | 90.80       | 40.98    |
| 157       | 51.11          | 91.40       | 41.25    |
| 158       | 51.45          | 92.01       | 41.53    |



### Testing Reports, Instructions & More Detail Specs

Informes de pruebas, instrucciones y más especificaciones Detalle



### 10:12 Truss Calculator




### Testing Reports, Instructions & More Detail Specs

Informes de pruebas, instrucciones y más especificaciones Detalle




### Truss Base Fan Custom Angle

Applications where roof pitch does not match available truss base fan angle (web and rafter angle not perpendicular (90°); **OWT** Butt Joint (#56613) will be utilized (shown with Truss Accent #56611).









## Truss Base Fan - T

Item #: 56645 (TBF-T)




Includes:

1 Truss Base Fan - T



OWT Truss Accents, Hex Cap Nuts, Timber Screws & Bolts **SOLD SEPARATELY.**

QTY  
**1**  
pcs



## Truss Base Fan 3 Point

Item #: 56646 (TBF-3-PT)





Includes:

1 Truss Base Fan - 3pt



OWT Truss Accents, Hex Cap Nuts, Timber Screws & Bolts **SOLD SEPARATELY.**

QTY  
**1**  
pcs



The number of Truss Accents (IW or LS) kits are indicated by the Diamond Icon & Number, kits **SOLD SEPARATELY** see page 58.



Scan to Watch This Product's Video



G-PC

ACQ

CRC



.20"  
5mm





## 💡 Hex Cap Nuts

*I used a number of the products from this line on a recent project and was very pleased to not only find the products, pergola hardware is scarce, but also to find such a well-engineered and easy to use line of hardware. On the first project I used over \$1,000 of this OWT product line to build a 10' x 30' cedar pergola and am about to start another project that will require as much or more. These nuts were extras I thought I might need. 💡 S. Bruce ~ Dallas, TX*



## 2 3/8" OD Star



Item #: 56623 (STAR2.375)

### Kit Includes:

- 1 10 2 3/8" OD Star
- 2 10 #6 x 1 3/4" Wood Screw

.9 lbs .41 kg 10 PH2

QTY  
**10**  
pcs



## 3 3/8" OD Star



Item #: 56624 (STAR3.375)

### Kit Includes:

- 1 10 3 3/8" OD Star
- 2 10 #6 x 1 3/4" Wood Screw

1.6 lbs .72 kg 10 PH2

QTY  
**10**  
pcs



### Single BULK 100pcs

Item #: 16624 (STAR3.375B)

## 1" Hex Cap Nut



Item #: 56681 (HCN-1)

### Kit Includes:


- 1 10 Hex Cap Nuts
- 2 10 Hex Cap Nut Plugs

.9 lbs .41 kg 12

QTY  
**10**  
pcs



WILL REQUIRE A 4.5MM ALLEN WRENCH TO SECURE THE HEX CAP NUT PLUG



OWT Timber Screws **DO NOT FIT** the 1" Hex Cap Nut (56681)

**REQUIRES SELF DRILL SCREW, HEX, #8, 1 1/4" FASTENER SOLD SEPARATELY**

## 1 1/2" Hex Cap Nut

Item #: 56621 (HCN)

Item #: 46621-1 (HCN) 4pk




Item #: 16621 (HCN) 250pk

### 10 Pack Includes:

- 1 10 Hex Cap Nuts
- 2 10 Hex Cap Nut Plugs

.9 lbs .41 kg 12

QTY  
**10**  
pcs



ALL OWT Timber Screws fit the 1 1/2" Hex Cap Nut ( )  
**FASTENERS SOLD SEPARATELY**

## 1 1/4" Hammered Dome Cap Nut

Item #: 56622 (DCN)



Item #: 16622 (DCN) 250pk

### 10 Pack Includes:


- 1 10 Threaded Washer
- 2 10 Hammered Dome Cap Nuts

.5 lbs .23 kg 12

QTY  
**10**  
pcs



ALL OWT Timber Screws fit the Hammered Dome Cap Nuts (56622)  
**FASTENERS SOLD SEPARATELY**



Create an even bolder accent by adding the Heavy Duty Timber Bolt Washer to the Hex Cap Nut or Dome Cap Nut, see page 74.



Scan to Watch This Product's Video




AI-PC

ACQ










**OWT Timber Bolts**  
Various Sizes and Lengths Available  
Secure rail posts to rim joists with Timber Timber Bolts.

## OWT Timber Bolts



Each Bolt Size  
Adjusts Over 2" for  
the Perfect Size  
Every Time


Inserts Like a  
Traditional Bolt &  
Tightens From the  
Inside Out



No Trimming of  
Unsightly & Potentially  
Dangerous Bolt Ends



Use the 2" Heavy Duty  
Timber Bolt Washer to  
Add Support & Impact.




Innovative Hex Cap Nut Design  
Prevents the Outside Coating  
from Being Marred or Damaged

- Corrosion Resistant Coatings & Materials for Long Lasting Performance
- Attractive Design for Visible Connectorss. A Perfect Finish to Any Project
- Washer Built Into the One Piece Hex Cap Nut








## 3/4" OWT Timber Bolts - Technical Specifications

**Table 1:** Fastener Specifications


| Item #<br>2pc Package / Bulk PKG | Fastener Dimensions (inches and millimeters are approximated) |       |      |       |                |               |                  |                  | Allowable Steel Strength (PSI) |                  |                |
|----------------------------------|---------------------------------------------------------------|-------|------|-------|----------------|---------------|------------------|------------------|--------------------------------|------------------|----------------|
|                                  | Nominal                                                       | Shank | Root | Head  | Overall Length |               | Connector Length | Threads Per Inch | Bending Yield Strength         | Tensile Strength | Yield Strength |
|                                  | Diameter                                                      |       |      |       | Min.           | Max.          |                  |                  |                                |                  |                |
| 56673 / 16673                    | 3/8"                                                          | .393  | .333 | 1.501 | 1 1/2" (38mm)  | 4.5" (114mm)  | 2" (50mm)        | 16               | 8,800                          | 39,100           | 33,600         |
| 56649 / 16649                    | 3/8"                                                          | .393  | .333 | 1.501 | 4" (101mm)     | 6.5" (165mm)  | 2" (50mm)        | 16               | 8,800                          | 39,100           | 33,600         |
| 56650 / 16650                    | 3/8"                                                          | .393  | .333 | 1.501 | 6" (152mm)     | 8.5" (216mm)  | 2" (50mm)        | 16               | 8,800                          | 39,100           | 33,600         |
| 56651 / 16651                    | 3/8"                                                          | .393  | .333 | 1.501 | 8" (203mm)     | 10.5" (267mm) | 2" (50mm)        | 16               | 8,800                          | 39,100           | 33,600         |
| 56652 / 16652                    | 3/8"                                                          | .393  | .333 | 1.501 | 10" (254mm)    | 12.5" (318mm) | 2" (50mm)        | 16               | 8,800                          | 39,100           | 33,600         |

Table1 NOTE: Bending yield strength determined in accordance with ASTM F 1575. Minimum thread engagement to connector shall be 15/16 inches.



**Table 2:** Fastener Reference Withdrawal Values Wood-To-Wood  
Connectorss Specific Gravity, G=0.35 or Greater

| Item #<br>2pc Package / Bulk PKG | Allowable Tension<br>Perpendicular to Grain |
|----------------------------------|---------------------------------------------|
|                                  | Pull-Over (lb)                              |
| 56673 / 16673                    | 713                                         |
| 56649 / 16649                    | 713                                         |
| 56650 / 16650                    | 713                                         |
| 56651 / 16651                    | 713                                         |
| 56652 / 16652                    | 713                                         |



**Table 3:** Fastener Reference Lateral Design Values - Single Shear Connectorss Specific Gravity, G=0.35 or Greater

| Side Member Thickness (in) | Main Member Thickness (in) | Min. End Distance (in) | Min. Edge Distance (in) | Allowable Shear Capacity Parallel to Grain (lb) |
|----------------------------|----------------------------|------------------------|-------------------------|-------------------------------------------------|
| 1.5                        | 3.5                        | 2.5                    | 1.6                     | 1,232                                           |
| 1.5                        | 3.5                        | 2.5                    | 1.6                     | 1,232                                           |
| 1.5                        | 3.5                        | 2.5                    | 1.6                     | 1,232                                           |
| 1.5                        | 3.5                        | 2.5                    | 1.6                     | 1,232                                           |
| 1.5                        | 3.5                        | 2.5                    | 1.6                     | 1,232                                           |




Table 2 NOTE: The tabulated reference pull-over design values shown are based on Allowable Stress Design (ASD) and must be multiplied by all applicable adjustment factors in accordance with 2012 NDS Section 10.3. Pull-over capacity based on 4"x4" and (2) 2"x4" wood members with tension perpendicular to grain. 4) Bolt pull through testing as per ASTM D 1037.

Table 3 NOTE: The tabulated reference lateral design values shown are based on Allowable Stress Design (ASD) and must be multiplied by all applicable adjustment factors in accordance with 2012 NDS Section 10.3.






**1 DRILL**  
Hole Through Lumber




**2 INSERT**  
Bolt Coupler Rod Through Drill Hole



**3 THREAD**  
End Hex Bolt Into Coupler Rod




**4 TIGHTEN**  
Then Replace the Hex Cap Nut Plug








## 3/4" OWT Timber Bolts



**3/4"x1 1/2"-4" (38-101mm) 2pcs**  
Item #: 56673 (BOLT 1.5-4)



**3/4"x4-6" (101-152mm) 2pcs**  
Item #: 56649 (BOLT 4-6)

**3/4"x6-8" (152-203mm) 2pcs**  
Item #: 56650 (BOLT 6-8)



**3/4"x8-10" (203-254mm) 2pcs**  
Item #: 56651 (BOLT 8-10)

**3/4"x10-12" (254-304mm) 2pcs**  
Item #: 56652 (BOLT 10-12)



## 3/4" OWT Timber Bolt (BULK)

| Size                      | Item # Description  | Bin Qty |
|---------------------------|---------------------|---------|
| 3/4"x1 1/2"-4" (38-101mm) | 16673 (BOLT 1.5-4B) | 30pcs   |
| 3/4"x4-6" (101-152mm)     | 16649 (BOLT 4-6B)   | 30pcs   |
| 3/4"x6-8" (152-203mm)     | 16650 (BOLT 6-8B)   | 30pcs   |
| 3/4"x8-10" (203-254mm)    | 16651 (BOLT 8-10B)  | 30pcs   |
| 3/4"x10-12" (254-304mm)   | 16652 (BOLT 10-12B) | 25pcs   |

## 2" Heavy Duty Timber Bolt Washer

Item #: 56680 (OWT-TBW-2)




Includes:

4 OWT Washers 2"

.81 lbs 0.37 kg

40

OWT Timber Bolts **SOLD SEPARATELY**



Timber bolt length can be extended by replacing the threaded center bolt with a longer bolt.



Scan to Watch This Product's Video



ACQ

PC

CRC

3/4

1/2





## !! OWT Timber Bolts!


*Beautifully constructed and easy to install. They are uniquely constructed to fit a range of widths. I'd highly recommend them when you need both that 'finished' look. !!* John M. ~ Verified Buyer










## 1/2" OWT Timber Bolts



**1/2"x1 1/2-4" (38-101mm) 2pcs**  
Item #: 56694 (BOLT 1.5-4)



**1/2"x4-6" (101-152mm) 2pcs**  
Item #: 56695 (BOLT 4-6)

**1/2"x6-8" (152-203mm) 2pcs**  
Item #: 56696 (BOLT 6-8)



**1/2"x8-10" (203-254mm) 2pcs**  
Item #: 56697 (BOLT8-10)

**1/2"x10-12" (254-304mm) 2pcs**  
Item #: 56698 (BOLT 10-12)



Scan to Watch This Product's Video



ACQ

PC

CRC

3/4"

1/2"





## 💡💡 A Simple Bolt Upgrade

*Replace your bolts to create a stylish statement that's as strong as it is beautiful. Use the 2" Washer for added WOW! 💡💡*

Ideas ~ Team OZCO







**Project #342**



## ❗❗ OWT TIMBER SCREWS:


Made a tough job easy... These simple appearing screws work wonders. I used them to hold 2x8's up right on the pergola top. Just lined them up and screwed them in. No splits, off angle, misses just in and DONE! ❗❗ James J. ~ Verified Buyer



**1½" Hex Cap Nut**  
Item #: 56621 (HCN)

Screws can be used with the Hex Cap Nuts & the Hammered Dome Caps for a more decorative look. **SOLD SEPARATELY**


## ¼" OWT Timber Screws Typical Installation Examples




All Timber Screws have a 3/8" hex head,.



Screws (opposite page) can be used with the Hex Cap Nuts & the Hammered Dome Caps (page 73) for a more decorative look. **ALL SOLD SEPARATELY**



**1½" Hex Cap Nut**  
Item #: 56621 (HCN)



**1¼" Hammered Dome Cap Nut**  
Item #: 56622 (DCN)





## 1/4" OWT Timber Screw Packaging Levels

| Size           | Item # Description | Blister Pack | MSRP    | Item # Description | Bin Qty | MSRP     |
|----------------|--------------------|--------------|---------|--------------------|---------|----------|
| 1 3/4" (45mm)  | 56625 (OWT175)     | 25pcs        | \$5.00  | 16625 (OWT175B)    | 1000pcs | \$122.21 |
| 2 3/4" (70mm)  | 56626 (OWT275)     | 25pcs        | \$9.77  | 16626 (OWT275B)    | 600pcs  | \$99.99  |
| 3 3/4" (95mm)  | 56627 (OWT375)     | 25pcs        | \$11.10 | 16627 (OWT375B)    | 450pcs  | \$132.21 |
| 5 3/4" (145mm) | 56628 (OWT575)     | 25pcs        | \$18.88 | 16628 (OWT575B)    | 250pcs  | \$132.21 |
| 7 1/2" (190mm) | 56629 (OWT750)     | 25pcs        | \$22.76 | 16629 (OWT750B)    | 250pcs  | \$136.65 |
| 10" (254mm)    | 56647 (OWT10)      | 10pcs        | \$12.48 | 16647 (OWT10B)     | 50pcs   | \$40.27  |
| 12" (304mm)    | 56648 (OWT12)      | 10pcs        | \$27.76 | 16648 (OWT12B)     | 50pcs   | \$107.77 |

OWT Timber Screws are heavy duty fasteners specifically designed for wood to wood Connectors indoors or outdoors including contact with ACQ treated lumber. No pre-drilling is required when proper end and edge distances are maintained for most construction lumber materials.


Full product specifications available on OZCOBP.com. A design professional should be consulted when making critical Connectors to ensure the locations and quantity of fasteners meets local and national code requirements. Not recommended for salt water applications.



**Table 1:** Fastener Specifications

| Item #<br>Package / BULK | Fastener Dimensions (inches and millimeters are approximated) |       |      |      |                |                  |                  | Allowable Steel Strength     |                        |                      |                      |
|--------------------------|---------------------------------------------------------------|-------|------|------|----------------|------------------|------------------|------------------------------|------------------------|----------------------|----------------------|
|                          | Major                                                         | Shank | Root | Head | Overall Length | Length of Thread | Threads per Inch | Bending Yield Strength (PSI) | Tensile Strength (PSI) | Yield Strength (PSI) | Shear Strength (PSI) |
|                          | Diameter                                                      |       |      |      |                |                  |                  |                              |                        |                      |                      |
| 56625 / 16625            | ¼"                                                            | .207  | .166 | .594 | 1¾" (45mm)     | 1¾" (45mm)       | 7                | 32,700                       | 62,600                 | 48,800               | 1,800                |
| 56626 / 16626            | ¼"                                                            | .207  | .166 | .594 | 2¾" (70mm)     | 2" (50mm)        | 7                | 32,700                       | 62,600                 | 48,800               | 1,800                |
| 56627 / 16627            | ¼"                                                            | .207  | .166 | .594 | 3¾" (95mm)     | 2" (50mm)        | 7                | 32,700                       | 62,600                 | 48,800               | 1,800                |
| 56628 / 16628            | ¼"                                                            | .207  | .166 | .594 | 5¾" (145mm)    | 2" (50mm)        | 7                | 32,700                       | 62,600                 | 48,800               | 1,800                |
| 56629 / 16629            | ¼"                                                            | .207  | .166 | .594 | 7½" (190mm)    | 2" (50mm)        | 7                | 32,700                       | 62,600                 | 48,800               | 1,800                |
| 56647 / 16647            | ¼"                                                            | .207  | .166 | .594 | 10" (254mm)    | 2" (50mm)        | 7                | 32,700                       | 62,600                 | 48,800               | 1,800                |
| 56648 / 16648            | ¼"                                                            | .207  | .166 | .594 | 12" (304mm)    | 2" (50mm)        | 7                | 32,700                       | 62,600                 | 48,800               | 1,800                |


**Table 1 NOTE:** Bending yield strength determined in accordance with ASTM F 1575.



**Table 2:** Fastener Reference Withdrawal Values Wood-To-Wood Connectors Specific Gravity, G=0.35 or Greater

| Item #<br>Package / BULK | Length of Thread Penetration | Allowable Perpendicular to Grain |                             |
|--------------------------|------------------------------|----------------------------------|-----------------------------|
|                          |                              | Withdrawal, W <sup>2</sup> (lb)  | Pull-Over <sup>2</sup> (lb) |
| 56625 / 16625            | 1 3/4" (45mm)                | 161                              | 275                         |
| 56626 / 16626            | 2" (50mm)                    | 403                              | 275                         |
| 56627 / 16627            | 2" (50mm)                    | 403                              | 275                         |
| 56628 / 16628            | 2" (50mm)                    | 403                              | 275                         |
| 56629 / 16629            | 2" (50mm)                    | 403                              | 275                         |
| 56647 / 16647            | 2" (50mm)                    | 403                              | 275                         |
| 56648 / 16648            | 2" (50mm)                    | 403                              | 275                         |

**Table 2 NOTE:** The tabulated reference withdrawal design values shown are based on Allowable Stress Design (ASD) and must be multiplied by all applicable adjustment factors in accordance with 2012 NDS Section 10.3. Screw withdrawal and pull through testing as per ASTM D 1037.



**Table 3:** Fastener Reference Lateral Design Values - Single Shear Connectors Specific Gravity, G=0.35 or Greater

| Minimum Fastener Penetration Into Main Member (in) | Side Member Thickness (in) | Min. End Distance (in) | Min. Edge Distance (in) | Allowable Capacity Parallel to Grain (lb) |
|----------------------------------------------------|----------------------------|------------------------|-------------------------|-------------------------------------------|
| 1.5                                                | 1.5                        | 2.00                   | 1.5                     | 242                                       |
| 1.5                                                | 1.5                        | 2.00                   | 1.5                     | 242                                       |
| 1.5                                                | 1.5                        | 2.00                   | 1.5                     | 242                                       |
| 1.5                                                | 1.5                        | 2.00                   | 1.5                     | 242                                       |
| 1.5                                                | 1.5                        | 2.00                   | 1.5                     | 242                                       |
| 1.5                                                | 1.5                        | 2.00                   | 1.5                     | 242                                       |
| 1.5                                                | 1.5                        | 2.00                   | 1.5                     | 242                                       |




Post to Beams are another great product to pair with the OWT Timber Screws, **SOLD SEPARATELY** see pages 23-27 for all options.



Scan to Watch This Product's Video






### "T" Hinge

Item #: 56661 (T-HINGE-S)

**Kit Includes:**

- ① 1 "T" Hinges
- ② 6 1 3/4" OWT Timber Screws

1.8 lbs .82 kg  20




### Strap Hinge Kit

Item #: 56662 (S-HINGE-S)

**Kit Includes:**

- ① 1 Strap Hinges
- ② 6 1 3/4" OWT Timber Screws

1.98 lbs .89 kg  20



### Butterfly Hinge Kit

Item #: 56663 (B-HINGE-S)

**Kit Includes:**

- ① 1 Butterfly Hinges
- ② 6 1 3/4" OWT Timber Screws

1.34 lbs .61 kg  20


### Standard Latch Kit

Item #: 56664 (S-LATCH-S)

**Kit Includes:**

- ① 1 Self-Latching System
- ② 1 Handle
- ③ 1 Slide Bolt
- ④ 7 1 3/4" OWT Timber Screws

2.1 lbs .95 kg  12




### 13"x13" Speak Easy Accent

Item #: 56660 (GA-EASY)

**Kit Includes:**

- ① 1 Decorative Accent
- ② 12 OWT-Lock #12 x 1-1/4 Hex HD Sharp Point (1/4" Hex)

2.5 lbs 1.13 kg  5




### 16" Carriage House Straps

Item #: 56100-1 (CHS-B-16)

**Kit Includes:**

- ① 4 Straps




### 9 3/4" Carriage House Handles


Item #: 56110-1 (CHH-B-975)

**Kit Includes:**

- ① 2 Handles








## 15 1/4" x 15 1/4" Star Accent

Item #: 56665 (GA-STAR)

### Kit Includes:

- ① 1 Decorative Insert
- ② 1 Mounting Frame
- ③ 16 #10 x 1/2" Screws

8.4 lbs 3.81 kg



## 15 1/4" x 15 1/4" Scroll Accent

Item #: 56658 (GA-SCROLL)

### Kit Includes:

- ① 1 Decorative Insert
- ② 1 Mounting Frame
- ③ 16 #10 x 1/2" Screws

11.6 lbs 5.25 kg



Project #410



Project #411



Project #412



# Project #262 — Fence & Gate











## 2 3/8" Steel To Wood Bracket

Item #: 50110 (WAP-OZ) Individually Packaged



Item #: 50111 (WAP-OZ) 50pk Bulk

Item #: 52212 (WAP-OZ-12) 12 pk

Assembled & Ready To Install

### Assembly Includes:

- ❶ 1 Strap & Base
- ❷ 4 1/4" Lag Screws
- ❸ 2 5/16" Carriage Bolts






## 2 3/8" Steel To Wood Bracket 90°

Item #: 50140-1 (WAP-238-90) Individually Packaged


Assembled & Ready To Install

### Assembly Includes:

- ❶ 4 Screw, Lag, #14-10 x 36mm
- ❷ 2 Nut, Hex 5/16-18
- ❸ 1 Strap, 2 3/8" WAP-238-90
- ❹ 2 Bolt, Carriage 5/16-18 x 1.5
- ❺ 1 Bracket, 2 3/8" WAP-238-90








### Wood To Wood Bracket

Item #: 50120-1 (W2W-FB)

#### Includes:

- ① 2 Brackets
- ② 6 Flat Head (#10 x 1 1/4)

50





**OZ-FENCE**  
STEEL POST EXTENDERS

### 3' Post Extender for 2 3/8" Steel Posts

Item #: 20550 (OZ-PST-EXT)

#### Parts Includes:

- ① 1 3' Post, 2-3/8" Galvanized Steel
- ② 1 Sleeve Post Extender Middle
- ③ 1 Upper Assembly
- ④ 1 Lower Assembly
- ⑤ 1 1/2" Carriage Bolt & Hex Nut



HDG

ACQ

CRC

12"  
3mm






### Speak Easy Accent

Item #: 56660 (GA-EASY)

These accents can be used not only gates, your imagination is the limit. [See Page 86](#)



### Hammered Dome Caps

Item #: 56622 (DCN)

The Hammered Dome Caps are accents that take a project to the next level aesthetically. [See Page 75](#)









Project #282



Project #110



Project #111





# Post Anchors for Fences, Decks, Signs & More

- Meets or exceeds building codes
- Great for areas with Rocks, Roots and Deep Frost Lines
- Suitable for contact with ACQ treated lumber
- Wind Load Tested to 120mph for Privacy Fencing (not all models)



**FREE Project Plans**  
Step by Step How To's  
Material & Cut Lists  
[OZCObp.com](http://OZCObp.com)

**Post Holes Are History...Use OZ-Post®!**  
You don't have to dig post holes to secure a post in the ground.




## Driving Options




To manually drive posts use Item #: 20500 **Manual Driving Kit (MDK)** or for larger projects requiring a jackhammer use Item #: 20480 **Jackhammer Driving Kit (JDK)**.

**Check Level Periodically**




**Post Level**  
(sold separately)  
Item #: 50740

**Sledgehammer & Block of Wood**




**Manual Driver Kit**



**MDK-13**  
(sold separately)  
Item #: 20500

**Jackhammer Driver Kit**



**JDK-10**  
(sold separately)  
Item #: 20480


## Securing Post Options



**Method One**  
Post Sleeve Halfway  
With Screws & Adhesive



**Method Two**  
Post Sleeve Ground  
Level With Screws Only



**Method Three**  
Post Sleeve Halfway  
With Offset Lag Bolts




**Method Four**  
Full Ground Level With  
Adhesive Only

CAUTION: Precautions have been taken to assure accuracy of the information in this catalog. Product dimensions in this electronic catalog are nominal and are provided for the convenience of our customers. OZ-Post® reserves the right to make product changes from time to time, without prior notification, which may change the information shown. We therefore recommend they be checked before using for any projects.



## Drivable Post Anchors for Timber & Cedar



**24" 4"x4"**  
(Actual 3½"x3½")  
Item #: 30180-1 (T4-600)

**Kit Includes:**  
1 Post Anchor

.12" 550 lbs  
3mm 249 kg  
5.6 lbs 2.54 kg



**27" 4"x4"**  
(Actual 3½"x3½")  
Item #: 30700 (MB-24)

**Kit Includes:**  
1 Post Anchor


.08" 4.31 lbs  
2mm 1.95 kg



**34" 4"x4"**  
(Actual 3½"x3½")  
Item #: 30160 (T4-850)

**Kit Includes:**  
1 Post Anchor


.08" 550 lbs  
2mm 249 kg  
7.7 lbs 3.49 kg




**36" 4"x6"**  
(Actual 3½"x5½")  
Item #: 30380 (T46-850)

**Kit Includes:**  
1 Post Anchor


.12" 700 lbs  
3mm 317 kg  
11.8 lbs 5.35 kg




**24"**  
(600mm)



**27"**  
(700mm)



**34"**  
(850mm)



**36"**  
(914mm)

### Jackhammer Driver Kit Item #: 20480 (JDK-10) Sold Separately

To manually drive posts use Item #: 20500 Manual Driving Kit (MDK) or for larger projects requiring a jackhammer use Item #: 20480 Jackhammer Driving Kit (JDK). The HSP-T4 is included with both kits and works with the 4x4 wood posts, the purchase of an additional spacer may be required and will be noted with each product. See Page 100 for all tools and corresponding product.




### HSP-T46 (Item #: 40520)

To Drive Post use the MDK or the OH-01 Driver Bit (Item #: 20480) & Spacer HSP-T46 (sold separately).




## Securing Post Options



**Method One**  
Post Sleeve Halfway  
With Screws & Adhesive




**Method Two**  
Post Sleeve Ground  
Level With Screws Only



**Method Three**  
Post Sleeve Halfway  
With Offset Lag Bolts





**36" 6"x6"**  
(Actual 5½"x5½")  
Item #: 30400 (T6-850)

**Kit Includes:**


1 Post Anchor




.12"  
3mm

700 lbs  
↔  
317 kg

14.1 lbs  
6.39 kg



**36"**  
(914mm)




**HSP-T6**  
(Item #:40540-1)

To Drive Post use the MDK or the OH-01 Driver Bit (Item #: 20480) & Spacer HSP-T6 (sold separately).



**Method Four**  
Full Ground Level With  
Adhesive Only



Project #251



Scan to Watch  
Product Video




ACQ

HDG

250 lbs ↑ 113 kg



## Drivable Post Anchors for Round Steel Posts




### 27" 1 5/8" Diameter

Item #: 30000 (GB-700)

#### Kit Includes:

1 Post Anchor 

$\frac{.08"}{2\text{mm}}$   $\frac{550\text{ lbs}}{249\text{ kg}}$   $\frac{5.3\text{ lbs}}{2.4\text{ kg}}$




### 27" 1 7/8" Diameter

Item #: 30020 (HB-700)

#### Kit Includes:

1 Post Anchor 

$\frac{.08"}{2\text{mm}}$   $\frac{550\text{ lbs}}{249\text{ kg}}$   $\frac{7.6\text{ lbs}}{2.81\text{ kg}}$




### 24" 2 3/8" Diameter

Item #: 30060-1 (IS-600)

#### Kit Includes:

1 Post Anchor 

$\frac{.12"}{3\text{mm}}$   $\frac{750\text{ lbs}}{340\text{ kg}}$   $\frac{6.4\text{ lbs}}{2.9\text{ kg}}$




### 34" 2 3/8" Diameter

Item #: 30040 (ISW-850)

#### Kit Includes:


1 Post Anchor 

$\frac{.12"}{3\text{mm}}$   $\frac{750\text{ lbs}}{340\text{ kg}}$   $\frac{8.6\text{ lbs}}{3.9\text{ kg}}$





**OH-02**  
(Item #: 20440)

To Drive Post use the MDK or the OH-02 Driver Bit (Item #: 20440), No Spacer (sold separately).



**HSP-HB**  
(Item #: 40640-1)


To Drive Post use the OH-02 Driver Bit (Item #: 20440) & Spacer HSP-HB (Item #: 40640-1) sold separately.



## Jackhammer Driver Kit

Item #: 20480 (JDK-10) Sold Separately

To manually drive posts use Item #: 20500 Manual Driving Kit (MDK) or for larger projects requiring a jackhammer use Item #: 20480 Jackhammer Driving Kit (JDK). The HSP-T4 is included with both kits and works with the 4x4 wood posts, the purchase of an additional spacer may be required and will be noted with each product. See Page 100 for all tools and corresponding product.



Scan to Watch This Product's Video




ACQ

HDG

250 lbs  113 kg







## 2 3/8" Steel to Steel Post Base

Item #: 30500 (238-IS-PB)

### Kit Includes:



1 Post Base



.12"  
3mm

750 lbs  
340 kg

3.35 lbs  
1.52 kg



## CDT-07 Cap Driving Tool\*

Item #: 50890 (SOLD SEPARATELY)

6 lbs 2.72 kg


PC

10

\* Tool used to secure the compression collar to all round steel post models.



## Drivable Post Anchors for Ornamental Fencing



**24" 2"x2"**


Item #: 30320 (I2-600)

### Kit Includes:

1 Post Anchor



To Drive Post use the MDK or JDK, No Spacer needed.



**34" 2"x2"**


Item #: 30300 (I2-850)

### Kit Includes:

1 Post Anchor



To Drive Post use the MDK or JDK, No Spacer needed.



**34" 2½"x2½"**


Item #: 30340 (I25-850)

### Kit Includes:

1 Post Anchor



To Drive Post use the MDK or JDK with Spacer HSP-I25 (Item #: 40580-1).



**34" 3"x3"**


Item #: 30360 (I3-850)

### Kit Includes:


1 Post Anchor




To Drive Post use the MDK or JDK with Spacer HSP-I3 (Item #: 40600-1).



**24"**  
(600mm)



**34"**  
(850mm)



**34"**  
(850mm)



**HSP-I25**  
(Item #: 40580-1)

To Drive Post use the MDK or the OH-01 Driver Bit (Item #: 20480) & Spacer HSP-I25 (sold separately).



**HSP-I3**  
(Item #: 40600-1)

To Drive Post use the MDK or the OH-01 Driver Bit (Item #: 20480) & Spacer HSP-I3 (sold separately).

## Jackhammer Driver Kit

Item #: 20480 (JDK-10) Sold Separately

To manually drive posts use Item #: 20500 Manual Driving Kit (MDK) or for larger projects requiring a jackhammer use Item #: 20480 Jackhammer Driving Kit (JDK). The HSP-T4 is included with both kits and works with the 4x4 wood posts, the purchase of an additional spacer may be required and will be noted with each product. See Page 100 for all tools and corresponding product.



ACQ

HDG

250 lbs 113 kg

550 lbs 249 kg










## Drivable Post Anchors & Deck Foundation System



### 12" x 12" Deck Plate

Item #:50880 (OD-T4)



#### Includes:

- 1 12" x 12" Deck Plate

.20" 6.8 lbs 3.08 kg 6  
5mm



Load Tested Up to 7000lbs




### 34" 4"x4" Post Anchor

(Actual 3 1/2"x3 1/2") Item #: 30160 (T4-850)


#### Includes:

- 1 Post Anchor

.08" 550 lbs 7.7 lbs 3.49 kg 6  
2mm 249 kg



34"  
(850mm)




### 36" 6"x6" Post Anchor

(Actual 5 1/2"x5 1/2") Item #:30410 (T6-700)

#### Includes:

- 1 Post Anchor

.12" 550 lbs 8.5 lbs 3.85 kg 4  
3mm 249 kg



36"  
(900mm)

### Jackhammer Driver Kit

Item #:20480 (JDK-10) Sold Separately

To manually drive posts use Item #: 20500 Manual Driving Kit (MDK) or for larger projects requiring a jackhammer use Item #: 20480 Jackhammer Driving Kit (JDK). The HSP-T4 is included with both kits and works with the 4x4 wood posts, the purchase of an additional spacer may be required and will be noted with each product. See Page 100 for all tools and corresponding product.



Scan to Watch This Product's Video

ACQ

HDG

250 lbs 113 kg

550 lbs 249 kg











Scan to Watch This Product's Video



## Jackhammer Driver Kit

Item #:20480 (JDK-10)



### Kit Includes:

- 1 OH-01 Driver Bit
- 1 HSP-T4 Red Spacer




## Manual Driver Kit

Item #:20500 (MDK-13)

### Kit Includes:

- 1 Manual Driver
- 1 HSP-T4 Red Spacer



17.6 lbs

7.95 kg

## Jackhammer Driver Bit

Item #: 20440 (OH-02)

Includes: 1 Bit



6.4 lbs

2.9 kg



## Post Level

Item #: 50740

Includes: 1 Post Level



.3 lbs

.11 kg


**HSP-HB**  
(Item #: 40640-1)



**HSP-I3**  
(Item #: 40600-1)



**HSP-T6**  
(Item #:40540-1)



**HSP-I25**  
(Item #: 40580-1)



**HSP-T46**  
(Item #: 40520)





## OZ-Puller with Plug & Post Clamp


Item #:50800 (OZ-PULLER)

### Kit Includes:

- 1 Puller Frame
- 1 Manual Jack
- 1 Chain
- 1 Plug Clamp
- 1 Post Clamp

121 lbs 54.81 kg

PC



### Plug Clamp

Item #:50820 (PLUG-CL)

Includes: 1 Plug Clamp

5.7 lbs 2.56 kg

PC



### Post Clamp

Item #:50833 (POST-CL)

Includes: 1 Post Clamp

6 lbs 2.7 kg



PC







**7-8" Telescoping Support Arm**  
Item #: 63308 (8-TSA)

Shown with Mounting Accessory Counter  
Top Plug Sold Separately  
(Line Art & Rendering)








**8-9" Telescoping Support Arm**  
Item #: 63309 (9-TSA)

Line Art Shown with Mounting Accessory  
Counter Top Plug Sold Separately



**10-13" Telescoping Support Arm**  
Item #: 63313 (13-TSA)

Image Shown (right) with 90° Mounting Accessory ▶▶  
Sold Separately & Fully Extended on Lower Counter



**14-18" Telescoping Support Arm**  
Item #: 63318 (18-TSA)

Image Shown (right) with Mounting Accessory  
Counter Top Plug Sold Separately ▶▶





# ROCK SOLID BRACKETS

*Install with Ease and Confidence*



*Breakfast Bar Installed with 90° Plug Mounting Accessory and Telescoping Arm, Lower Countertop Installed with Counter Plug Mounting Accessory.*



# ISLANDS, BREAKFAST TOPS & COUNTERS

*RSB Assemblies Making Kitchens A Breeze*






*Kitchen Island Installed with Fully Extended Telescoping Arms  
and Counter Plug Mounting Accessories.*







### 19-26" Telescoping Support Arm Item #: 63326 (26-TSA)

Rendering Shown with "T" Mounting  
Accessory & Fully Extended  
Sold Separately





### 27-36" Telescoping Support Arm Item #: 63336 (36-TSA)

Mounting Accessories Sold Separately



### 37-48" Telescoping Support Arm Item #: 63348 (48-TSA)

Mounting Accessories Sold Separately






### Counter Plug Mounting Accessory

Item #: 67705 (CNTR-PLG)


Shown below with Telescoping Arm  
(Sold Separately)



### 90° Plug Mounting Accessory

Item #: 67702 (90-PLG)


Shown below with Telescoping Arm  
(Sold Separately)



### Floating Arm Plug Mounting Accessory

Item #: 67708 (ARM-PLG)


Shown below with Telescoping Arm  
(Sold Separately)



### "T" Plug Mounting Accessory

Item #: 67711 (T-PLG)

Shown below with Telescoping Arm  
(Sold Separately)





# ROCK SOLID BRACKETS

*Install with Ease and Confidence*



*Pony Wall Installed with "T" Mounting Accessory and Telescoping Arm, Lower Bar Installed with Floating Arm Plug Mounting Accessory.*



| Item#:  | Product Description              | Abbreviated    | Pg      |
|---------|----------------------------------|----------------|---------|
| 11717-1 | 2" Rafter Clips - IW - BULK      | RC-IW-B        | 55      |
| 11783-1 | 4X4 Post Band - IW - BULK        | 4-BND-IW -B    | 35      |
| 11786-1 | 6X6 Post Band - IW - BULK        | 6-BND-IW-B     | 35      |
| 11787-1 | 8X8 Post Band - IW - BULK        | 8-BND-IW-B     | 35      |
| 16617   | 2" Rafter Clips - LS - BULK      | RC-LS-B        | 55      |
| 16621   | 1½" Hex Cap Nut - (250PK)        | 175-HCN-B      | 75      |
| 16622   | 1¼" Hammered Dome Cap Nut        | HDCN-B (250PK) | 75      |
| 16624   | Star 3 ¾" OD - BULK              | STAR3.375-B    | 75      |
| 16625   | ¼" X 1 ¾" Timber Screws - BULK   | OWT175LB-B     | 85      |
| 16626   | ¼" X 2 ¾" Timber Screws - BULK   | OWT275LB-B     | 85      |
| 16627   | ¼" X 3 ¾" Timber Screws - BULK   | OWT375LB-B     | 85      |
| 16628   | ¼" X 5 ¾" Timber Screws - BULK   | OWT575LB-B     | 85      |
| 16629   | ¼" X 7 ½" Timber Screws - BULK   | OWT750LB-B     | 85      |
| 16647   | ¼" X 10" Timber Screws - BULK    | OWT10LB-B      | 85      |
| 16648   | ¼" X 12" Timber Screws - BULK    | OWT12LB-B      | 85      |
| 16649   | ¾" 4-6" Timber Bolts - BULK      | BOLT 4-6-B     | 79      |
| 16650   | ¾" 6-8" Timber Bolts - BULK      | BOLT 6-8-B     | 79      |
| 16651   | ¾" 8-10" Timber Bolts - BULK     | BOLT 8-10-B    | 79      |
| 16652   | ¾" 10-12" Timber Bolts - BULK    | BOLT 10-12-B   | 79      |
| 16673   | ¾" x 1-½"-4" Timber Bolts - BULK | 3/4-TB-1.5-4-B | 79      |
| 16680   | HD Timber Bolt Washer - BULK     | WASH-TB-B      | 79      |
| 20440   | Hammer Driver                    | OH-02          | 104     |
| 20480   | Jackhammer Driver Kit)           | JDK-10         | 104     |
| 20500   | Manual Driving Kit               | MDK-13         | 104     |
| 20550   | 3' Steel Post Extender           | PST-EXT        | 91      |
| 30000   | GB-700 - (1½" Round)             | GB-700         | 98      |
| 30020   | HB-700 - (1½" Round)             | HB-700         | 98      |
| 30040   | ISW-850 - (2½" Round)            | ISW-850        | 98      |
| 30060-1 | IS-600 - (2¾" Round)             | IS-600         | 98      |
| 30160   | T4-850 - (3½" Square)            | T4-850         | 96, 102 |
| 30180-1 | T4-600 - (3½" Square)            | T4-600         | 96      |
| 30300   | I2-850 - (2" Square)             | I2-850         | 100     |
| 30320   | I2-600 - (2" Square)             | I2-600         | 100     |
| 30340   | I25-850 - (2½" Square)           | I25-850        | 100     |
| 30360   | I3-850 - (3" Square)             | I3-850         | 100     |
| 30380   | T46-850 - (3½"X5½")              | T46-850        | 96      |
| 30400   | T6-850 - (5½" Square)            | T6-850         | 97      |
| 30410   | T6-700 - (5½" Square)            | T6-700         | 102     |
| 30500   | 2¾" Round Post Base              | 238-IS-PB      | 99      |
| 30700   | MB-24 - (3½" Square)             | MB-24          | 96      |
| 40520   | T46 - (Hammer-Spacer)            | HSP-T46        | 104     |
| 40540-1 | T6 - (Hammer-Spacer)             | HSP-T6         | 104     |
| 40580-1 | I25 - (Hammer-Spacer)            | HSP-I25        | 104     |
| 40600-1 | I3 - (Hammer-Spacer)             | HSP-I3         | 104     |
| 40640-1 | HB - (Hammer-Spacer)             | HSP-HB         | 104     |
| 41717-1 | 2" Rafter Clips - IW - (2PK)     | RC-2-IW-2PK    | 55      |
| 41718-1 | 4" Rafter Clips - IW - (2PK)     | RC-IW-4-2PK    | 57      |
| 46617-1 | 2" Rafter Clips - LS - (2PK)     | RC-2-LS-2PK    | 55      |
| 46618-1 | 4" Rafter Clips - LS - (2PK)     | RC-LS-4-2PK    | 57      |
| 46621-1 | 1½" Hex Cap Nut - (4PK)          | 1.75-HCN-4PK   | 75      |

| Item#:  | Product Description             | Abbreviated  | Pg  |
|---------|---------------------------------|--------------|-----|
| 50110   | Steel 2 Wood Fence Bracket      | WAP-OZ       | 90  |
| 50111   | Steel 2 Wood Fence Bracket      | WAP-OZ-CASE  | 90  |
| 50120-1 | Wood 2 Wood Fence Bracket       | W2W-FB       | 91  |
| 50130-1 | Steel 2 Wood Bracket BULK       | WAP-238-CASE | 90  |
| 50140-1 | WAP-238-90 Inside 90°           | WAP-238-90   | 90  |
| 50740   | Post Level                      | LEVEL        | 104 |
| 50800   | OZ-Puller®                      | OZ-PULLER    | 105 |
| 50820   | Plug Clamp                      | PLUG-CL      | 105 |
| 50833   | Post Clamp                      | POST-CL      | 105 |
| 50880   | OZ-Deck Plate                   | OD-T4        | 102 |
| 50890   | Cap Driving Tool                | CDT-07       | 99  |
| 51705   | 10X10 Post Base - IW            | 10X10-PB-IW  | 31  |
| 51707   | 4X4 Post Base - IW              | 4X4-PB-IW    | 21  |
| 51708   | 6X6 Post Base - IW              | 6X6-PB-IW    | 27  |
| 51709   | 8X8 Post Base - IW              | 8X8-PB-IW    | 31  |
| 51710   | 8" Post to Beam - IW            | P2B-IW-2     | 46  |
| 51711   | Truss Accent Plate - IW         | TA-IW        | 59  |
| 51714   | 6" Beam Hanger - IW             | 6-BH-IW      | 49  |
| 51717   | 2" Rafter Clips - IW - (10PK)   | RC-IW-2      | 55  |
| 51718   | 4" Rafter Clips -IW             | RC-IW-4      | 57  |
| 51730   | 4X4 Post Base (2) Saddles - IW  | 4X4-TRS-IW   | 23  |
| 51731   | 4X4 Post Base (1) Saddle - IW   | 4X4-SRS-IW   | 23  |
| 51735   | 6" Post to Beam - IW            | P2B-IW-6     | 43  |
| 51736   | Post to Beam Bolt Offset -IW    | P2B-BO-IW    | 45  |
| 51737   | Post to Beam Bolt Inline - IW   | P2B-BI-IW    | 45  |
| 51738   | 2" HV Rafter Clip - IW new      | RC-IW-HV-2   | 54  |
| 51739   | Joist Hanger Flush 6 -8" - IW   | JHF-68-IW    | 48  |
| 51740   | Joist Hanger Tab 6-8" - IW      | JHT-68-IW    | 51  |
| 51768   | 4" Flush Inside 45°- IW         | FI45-IW-4    | 57  |
| 51769   | 6-8" Beam Hanger Flush - IW     | BHF-68-IW    | 49  |
| 51770   | 8-10" Joist Hanger Flush - IW   | JHF-810-IW   | 51  |
| 51771   | 6X6Post Base (1) Saddle - IW    | 6X6-SRS-IW   | 29  |
| 51772   | 6X6 Post Base (2) Saddles - IW  | 6X6-TRS-IW   | 29  |
| 51775   | 4" Post to Beam - IW            | P2B-IW-4     | 43  |
| 51776   | 8" Post to Beam Flush - IW      | P2BF-IW      | 47  |
| 51777   | 8" Post to Beam Coupler - IW    | 8P2B-SB-IW   | 47  |
| 51778   | 4X4 Column Caps- IW             | 4X4-CAP-IW   | 41  |
| 51779   | 6X6 Column Caps- IW             | 6X6-CAP-IW   | 41  |
| 51783   | 4X4 Post Band - IW              | 4X4-BND-IW   | 35  |
| 51786   | 6X6 Post Band - IW              | 6X6-BND-IW   | 35  |
| 51787   | 8X8 Post Band - IW              | 8X8-BND-IW   | 35  |
| 51789   | 4X4 Faux Post Base - IW         | 4X4-FPB-IW   | 25  |
| 51790   | 6X6 Faux Post Base - IW         | 6X6-FPB-IW   | 33  |
| 51791   | 8X8 Faux Post Base - IW         | 8X8-FPB-IW   | 33  |
| 51793   | Rafter Seam - IW                | RS-IW        | 53  |
| 52107   | 4X4 Post Base - IW OWT-LITE     | 4X4-PB-IWL   | 14  |
| 52108   | 6X6 Post Base - IW OWT-LITE     | 6X6-PB-IWL   | 14  |
| 52109   | 8X8 Post Base - IW OWT-LITE     | 8X8-PB-IWL   | 14  |
| 52110   | 8" Post to Beam - IW OWT-LITE   | 8-P2B-IWL    | 14  |
| 52212   | 2¾" Steel to Wood Fence Bracket | WAP-OZ-12    | 90  |



| Item#:  | Product Description            | Abbreviated  | Pg |
|---------|--------------------------------|--------------|----|
| 54207   | 4X4 Post Base - LS OWT-LITE    | 4X4-PB-LSL   | 13 |
| 54208   | 6X6 Post Base - LS OWT-LITE    | 6X6-PB-LSL   | 13 |
| 54209   | 8X8 Post Base - LS OWT-LITE    | 8X8-PB-LSL   | 13 |
| 54210   | 8" Post to Beam - LS OWT-LITE  | 8-P2B-LSL    | 13 |
| 56100-1 | 16" Carriage House Straps      | CH-STRAP     | 86 |
| 56110-1 | 9¾" Carriage House Handles     | CH-HANDLE    | 86 |
| 56604   | 4X6 Post Base - LS             | 4X6-PB-LS    | 27 |
| 56605   | 10X10 Post Base - LS           | 10X10-PB-LS  | 31 |
| 56607   | 4X4 Post Base - LS             | 4X4-PB-LS    | 21 |
| 56608   | 6X6 Post Base - LS             | 6X6-PB-LS    | 27 |
| 56609   | 8X8 Post Base - LS             | 8X8-PB-LS    | 31 |
| 56610   | 8" Post to Beam - LS           | P2B-LS-2     | 46 |
| 56611   | Truss Accent Plate - LS        | TA-LS        | 59 |
| 56612   | "T" Tie Plate                  | TTP          | 61 |
| 56613   | Butt Joint Flush               | BJF          | 62 |
| 56614   | Flush Outside 90° Plate        | F090         | 62 |
| 56615   | Flush Inside 90° Plate         | FI90         | 61 |
| 56616   | Flush Inside 45° Plate         | FI45         | 61 |
| 56617   | 2" Rafter Clips - LS           | RC-LS-2      | 55 |
| 56618   | 4" Rafter Clips - LS           | RC-LS-4      | 57 |
| 56619   | Truss Base Fan 8:12 Plate      | TBF-8-12     | 69 |
| 56620   | Truss Base Fan 10:12 Plate     | TBF-10-12    | 69 |
| 56621   | 1½" Hex Cap Nut - (10PK)       | HCN          | 75 |
| 56622   | 1¼" Hammered Dome Cap Nut      | HDCN (10PK)  | 75 |
| 56623   | Star 2 ¾" OD                   | STAR2.375    | 75 |
| 56624   | Star 3 ¾" OD                   | STAR3.375    | 75 |
| 56625   | ¼" X 1 ¾" Timber Screws        | OWT175LB     | 85 |
| 56626   | ¼" X 2 ¾" Timber Screws        | OWT275LB     | 85 |
| 56627   | ¼" X 3 ¾" Timber Screws        | OWT375LB     | 85 |
| 56628   | ¼" X 5 ¾" Timber Screws        | OWT575LB     | 85 |
| 56629   | ¼" X 7 ½" Timber Screws        | OWT750LB     | 85 |
| 56630   | 4X4 Post Base (2) Saddles - LS | 4X4-TRS-LS   | 23 |
| 56631   | 4X4 Post Base (1) Saddle - LS  | 4X4-TRS-LS   | 23 |
| 56635   | 6" Post to Beam - LS           | P2B-LS-6     | 43 |
| 56636   | Post to Beam Bolt Offset - LS  | P2B-BO-LS    | 45 |
| 56637   | Post to Beam Bolt Inline - LS  | P2B-BI-LS    | 45 |
| 56638   | 2" HV Rafter Clip - LS         | RC-LS-HV-2   | 55 |
| 56639   | Joist Hanger Flush 6"-8" - LS  | JHF-68-LS    | 48 |
| 56640   | Joist Hanger Tab 6"-8" - LS    | JHT-68-LS    | 51 |
| 56641   | 2X4 Top Rail Saddle - LS       | 2X4-TR       | 21 |
| 56644   | Truss Base Fan 12:12 Plate     | TBF-12-12    | 69 |
| 56645   | Truss Base Fan T Plate         | TBF-T        | 73 |
| 56646   | Truss Base Fan 3 Point Plate   | TBF-3-PT     | 73 |
| 56647   | ¼" X 10" Timber Screws         | OWT10LB      | 85 |
| 56648   | ¼" X 12" Timber Screws         | OWT12LB      | 85 |
| 56649   | ¾" 4-6" Timber Bolts           | 3/4-TB-4-6   | 79 |
| 56650   | ¾" 6-8" Timber Bolts           | 3/4-TB-6-8   | 79 |
| 56651   | ¾" 8-10" Timber Bolts          | 3/4-TB-8-10  | 79 |
| 56652   | ¾" 10-12" Timber Bolts         | 3/4-TB-10-12 | 79 |
| 56658   | Gate Accent Scroll             | GA-SCROLL    | 84 |

| Item#: | Product Description                  | Abbreviated  | Pg  |
|--------|--------------------------------------|--------------|-----|
| 56660  | Gate Accent Speak Easy               | GA-EASY      | 86  |
| 56661  | T Hinge - (Bulk Single)              | T-HINGE-S    | 86  |
| 56662  | Strap Hinge - (Bulk Single)          | S-HINGE-S    | 86  |
| 56663  | Butterfly Hinge - (Bulk Single)      | B-HINGE-S    | 86  |
| 56664  | Standard Latch w Handle - (Bulk)     | S-LATCH-S    | 86  |
| 56665  | Gate Accent Star                     | GA-STAR      | 84  |
| 56668  | 4" Flush Inside 45°- LS              | FI45-LS-4    | 57  |
| 56669  | 6-8" Beam Hanger Flush - LS          | BHF-68-LS    | 49  |
| 56670  | 8-10" Joist Hanger Flush - LS        | JHF-810-LS   | 51  |
| 56671  | 6X6 Post Base (1) Saddle - LS        | 6X6-SRS-LS   | 29  |
| 56672  | 6X6 Post Base (2) Saddles - LS       | 6X6-TRS-LS   | 29  |
| 56673  | ¾" 1½"-4" Timber Bolts               | 3/4-TB-1.5-4 | 79  |
| 56675  | 4" Post to Beam - LS                 | P2B-LS-4     | 43  |
| 56676  | 8" Post to Beam Flush - LS           | P2BF-LS      | 47  |
| 56677  | 8" Post to Beam Coupler - LS         | 8P2B-SB-LS   | 47  |
| 56678  | 4X4 Column Caps- LS                  | 4X4-CAP-LS   | 41  |
| 56679  | 6X6 Column Caps- LS                  | 6X6-CAP-LS   | 41  |
| 56680  | HD Timber Bolt Washer                | WASH-TB      | 79  |
| 56681  | 1" Hex Cap Nut                       | HCN-1        | 75  |
| 56689  | 4X4 Faux Post Base - LS              | 4X4-FPB-LS   | 25  |
| 56690  | 6X6 Faux Post Base - LS              | 6X6-FPB-LS   | 33  |
| 56691  | 8X8 Faux Post Base - LS              | 8X8-FPB-LS   | 33  |
| 56693  | Rafter Seam - LS                     | RS-LS        | 53  |
| 56694  | ½" 1½"-4" Timber Bolts               | 1/2-TB-1.5-4 | 81  |
| 56695  | ½" 4-6" Timber Bolts                 | 1/2-TB-4-6   | 81  |
| 56696  | ½" 6-8" Timber Bolts                 | 1/2-TB-6-8   | 81  |
| 56697  | ½" 8-10" Timber Bolts                | 1/2-TB-8-10  | 81  |
| 56698  | ½" 10-12" Timber Bolts               | 1/2-TB-10-12 | 81  |
| 57703  | Wine Glass Holder                    | HA-WGH       | 34  |
| 57704  | Plant Hanger                         | HA-PH        | 35  |
| 57705  | Wine Bottle Holder                   | HA-WBH       | 37  |
| 57706  | Shackle Ring                         | HA-SHK       | 37  |
| 57707  | Can/Mobile Holder                    | HA-DCH       | 37  |
| 57708  | Towel Hook                           | HA-TH        | 37  |
| 57712  | "T" Tie Plate Extended               | TTP-EXT      | 61  |
| 57713  | Large Outside 90° Plate              | LRG-FO90     | 62  |
| 57714  | 6" Beam Hanger - LS                  | 6-BH-LS      | 49  |
| 63308  | 7-8" Telescoping Support Arm         | 8-TSA        | 106 |
| 63309  | 8-9" Telescoping Support Arm         | 9-TSA        | 106 |
| 63313  | 10-13" Telescoping Support Arm       | 13-TSA       | 106 |
| 63318  | 14-18" Telescoping Support Arm       | 18-TSA       | 106 |
| 63326  | 19-26" Telescoping Support Arm       | 26-TSA       | 109 |
| 63336  | 27-36" Telescoping Support Arm       | 36-TSA       | 109 |
| 63348  | 37-48" Telescoping Support Arm       | 48-TSA       | 109 |
| 67705  | Counter Plug Mounting Accessory      | CNTR-PLG     | 110 |
| 67702  | 90° Plug Mounting Accessory          | 90-PLG       | 110 |
| 67708  | Floating Arm Plug Mounting Accessory | ARM-PLG      | 110 |
| 67711  | "T" Plug Mounting Accessory          | T-PLG        | 110 |



# Terms and Conditions of Sale

## GENERAL

The terms and conditions of this document shall constitute the entire Agreement for the purchase and sale of the products to Purchaser. Acceptance made expressly conditional upon Purchaser's assent to these terms, which may differ from, vary or be in addition to the terms in Purchaser's purchase order or request for quotation. Any varying, differing or additional terms and conditions contained in the Purchaser's purchase order or request for quotation shall not be binding upon Hillman.

## DISCOUNT TERMS

A 1% cash discount is allowed for invoices paid within 10 days of invoice date or net payment due within 30 days. Any new orders or back-orders will be held without shipment if there are unpaid invoices in excess of 45 days, or if authorized credit limit is exceeded.

## PRICES

Prices are subject to change without advance notice. All items will be invoiced at the catalog price less the applicable discounts. Prices apply for full box quantities only. Partial boxes will be invoiced at full retail price. Only certain products will be available for partial box sales.

## QUOTATIONS

Written price quotations remain in effect for thirty days from time of quotation unless otherwise stated in writing.

## MINIMUM ORDER

Minimum order is \$25, based on Hillman current Net Purchaser Prices. Orders of less than \$25 will be processed with a \$25 Net Invoice.

## BACK ORDERS

All orders will be accepted on a ship and cancel basis, unless otherwise requested. Displays, assortments and special items WILL be back-ordered unless otherwise stated.

## FREIGHT

The routing of ALL shipments shall be entirely within the discretion of Hillman. Special shipping requests – airfreight – bus shipments – special dispatch – drop shipments, etc. – will be sent freight collect and will be F.O.B. shipping point. Long length rods, angles, flats, etc. will be shipped F.O.B. shipping point on shipments of 300 lbs. or less. Orders less than \$250.00 will be charged freight. Handling charges will be as follows: Orders less than \$250.00 are subject to a \$1.00 handling charge. Orders over \$250.00 are subject to a \$4.00 handling charge. As economic circumstances dictate, a fuel surcharge may be assessed in addition to freight and handling on all orders. Freight terms are subject to change without prior notice.

## SPECIAL ORDERS AND ORDERS FOR NON-STOCKING PRODUCT

Special orders are non-cancelable, non-returnable and must be ordered via a purchase order from the Purchaser. All special orders will be shipped in accordance with quoted lead times and at industry standard  $\pm 10\%$  of the order quantity. Purchaser is liable for the entire order quantity.

## CLAIMS AND DAMAGES

All damages and shortages must be reported to us within five days after receipt of merchandise. If goods are damaged in transit or shortages received, notification should be made directly with carriers. Before reporting shortages, please check to make sure packing slip indicates shorted items have been shown as being shipped.

## LIMITATIONS OF LIABILITY

All goods returned to and accepted by Hillman as defective or incorrect shall be replaced or credited in full. No claim made hereunder by the Purchaser, whether as to goods delivered or for non-delivery, shall be greater than the purchase price of the goods in respect of which such claim is made. PURCHASER WAIVES ANY CLAIM AGAINST HILLMAN FOR DIRECT, INDIRECT, SPECIAL, EXEMPLARY, PUNITIVE, COMPENSATORY, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS AND BUSINESS INTERRUPTION, WHICH MAY RESULT FROM YOUR PURCHASE AND/OR USE OF THE PRODUCTS. HILLMAN MAKES NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY AND NO OTHER WARRANTY, ORAL OR WRITTEN, EXPRESSED OR IMPLIED, EXCEPT AS SPECIFICALLY SET FORTH HEREIN. Purchaser agrees to indemnify and hold Hillman harmless from all claims, demands, and costs, including reasonable attorneys' fees, made by third parties against Hillman relating to Purchaser's use of the products, and to pay any costs and expenses incurred by Hillman to enforce Purchaser's obligations, including, without limitation, the costs of collection for any unpaid amounts owed to Hillman by Purchaser.

## COSTS

Any and all costs resulting from, or incurred in connection with the collection of any monies due from the Purchaser, including court costs, appellate court costs, and Hillman's reasonable attorney's fees will be the responsibility of the Purchaser.

## ELECTRONIC DATA INTERCHANGE

If Hillman and Purchaser have mutually agreed to use an Electronic Data Interchange (EDI) system to facilitate purchase and sale transactions, Purchaser agrees: that it will not contest (i) any contract of sale resulting from an EDI transaction under the provisions of any law relating to whether agreements must be in writing or signed by the party to be bound thereby; or (ii) the admissibility of copies of EDI records under the business records exception to the hearsay rule, the best evidence rule or any other similar rule, on the basis that such records were not originated or maintained in documentary form. Hillman and Purchaser will negotiate and agree on technical standards and methods to use in making EDI purchases, and will use proper security procedures to protect EDI records from improper access. The business records maintained by Hillman regarding EDI purchases made by Purchaser shall be controlling.

## TAXES

All applicable federal, state or local sales, use, occupational or excise taxes are the responsibility of the Purchaser and shall be in addition to the price or prices stated. Hillman shall have the right to invoice separately any such tax as may be imposed at a later time. Applicable tax exemption certificates must accompany any order to which the same applies.

## CONFIDENTIALITY

Purchaser will hold any information concerning Hillman's business, or any other information about Hillman, in absolute and strict confidence.


## APPLICABLE LAW

This Agreement shall be governed by and construed in accordance with the laws of the State of Ohio, without regard to its choice of law provisions, and the sole jurisdiction and venue for any litigation arising with regard to this Agreement shall be an appropriate federal or state court located in Hamilton County, Ohio.

## SEVERABILITY

If any provision of this Agreement is held to be invalid, illegal, or unenforceable in any respect, the validity, legality, or enforceability of the remaining provisions contained herein shall not in any way be affected or impaired thereby.





**Southeast Distribution Center**

Jacksonville, Florida

**Southwest Distribution Center**

Dallas, Texas

**Western Distribution Centers**

Bakersfield, California

Rialto, California

**Distribution & Manufacturing**

Tempe, Arizona

**Canada Distribution Center**

Pickering, ON

**Mexico Distribution Center**

Monterrey, Mexico

**All Points Division**

Pompano Beach, Florida

**Corporate Office & Midwest/  
Northeast Distribution Center**

Cincinnati, Ohio 1-800-800-4900




OZCOBuildingProducts.com

OZCO Connects on Social Media, Join Us



**HILLMAN™**

OZCO is a Division of The Hillman Group  
10590 Hamilton Ave.  
Cincinnati, OH 45231  
1 (800) 800-4900  
www.hillmangroup.com



20031-1  
7/21